

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 1 located north west of quarry. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:			
Monthly		12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1	0.6		23/11/21	9/12/21	2022
Canyonleigh Gauge MP1	9.7		22/12/21	19/01/22	2022
Canyonleigh Gauge MP1	0.9		28/01/22	18/02/22	2022
Canyonleigh Gauge MP1	1.3		26/02/22	10/03/22	2022
Canyonleigh Gauge MP1	0.2		28/03/22	5/04/22	2022
Canyonleigh Gauge MP1	0.6		20/04/22	4/05/22	2022
Canyonleigh Gauge MP1	0.5		20/05/22	2/06/22	2022
Canyonleigh Gauge MP1					2022
Number of Samples	7				2022
Lowest Sample	0.2				2022
Mean of Sample	2.0				2022
Highest Sample	9.7				2022
Canyonleigh Gauge MP1	1.0		20/06/22	29/06/22	2023
Canyonleigh Gauge MP1	0.7		18/07/22	26/07/22	2023
Canyonleigh Gauge MP1	0.6		15/08/22	30/08/22	2023
Canyonleigh Gauge MP1	0.3		12/09/22	27/09/22	2023
Canyonleigh Gauge MP1	0.4		10/10/22	17/10/22	2023
Canyonleigh Gauge MP1	2.2		7/11/22	16/11/22	2023
Canyonleigh Gauge MP1	2.6		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1	1.2		5/01/23	20/01/23	2023
Canyonleigh Gauge MP1	0.7		2/02/23	20/02/23	2023
Canyonleigh Gauge MP1	0.6		4/03/23	5/04/23	2023
Canyonleigh Gauge MP1	0.6		5/04/23	4/05/23	2023
Canyonleigh Gauge MP1	0.8		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.3				2023
Mean of Sample	1.0				2023
Highest Sample	2.6				2023
Canyonleigh Gauge MP1	0.5		5/06/23	28/06/23	2024
Canyonleigh Gauge MP1	1.0		4/07/23	24/07/23	2024
Canyonleigh Gauge MP1	1.4		11/08/23	23/08/23	2024
Canyonleigh Gauge MP1	1		14/09/23	5/10/23	2024
Canyonleigh Gauge MP1	1.2		16/10/23	13/11/23	2024
Canyonleigh Gauge MP1	1.1		16/11/23	15/12/23	2024
Canyonleigh Gauge MP1	1		15/12/23	7/02/24	2024
Canyonleigh Gauge MP1	3.4		15/01/24	7/02/24	2024
Canyonleigh Gauge MP1	2.1		14/02/24	28/02/24	2024
Canyonleigh Gauge MP1	2.3		15/03/24	5/04/24	2024
Canyonleigh Gauge MP1	2		16/04/24	27/05/24	2024
Canyonleigh Gauge MP1	0.6		20/05/24	18/06/24	2024
Canyonleigh Gauge MP1	0.4		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.4				2024
Mean of Sample	1.4				2024
Highest Sample	3.4				2024
Canyonleigh Gauge MP1	<0.1		25/07/24	21/08/24	2025
Canyonleigh Gauge MP1	1.6		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1	1		27/09/24	9/10/24	2025
Canyonleigh Gauge MP1	1.1		26/11/24	10/12/24	2025
Canyonleigh Gauge MP1	3.4		27/12/24	7/02/25	2025
Canyonleigh Gauge MP1	2.1		24/01/25	7/02/25	2025
Canyonleigh Gauge MP1	1.1		24/02/25	4/04/25	2025
Canyonleigh Gauge MP1	1.8		25/03/25	2/05/25	2025
Canyonleigh Gauge MP1	0.3		23/04/25	2/05/25	2025
Canyonleigh Gauge MP1	1.1		21/05/25	28/05/25	2025
Canyonleigh Gauge MP1	0.6		18/06/25	23/07/25	2025
Canyonleigh Gauge MP1	0.8		24/07/25	7/08/25	2025
Canyonleigh Gauge MP1	0.5		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0				2025
Mean of Sample	1.2				2025
Highest Sample	3.4				2025
Canyonleigh Gauge MP1	0.9		24/09/25	3/10/25	2026
Canyonleigh Gauge MP1	1.6		25/10/25	5/11/25	2026
Canyonleigh Gauge MP1	3.1	Spikes Missing. Lots of bird poo.	27/11/25	16/12/25	2026
Canyonleigh Gauge MP1	1.4		7/01/26	2/02/26	2026
Canyonleigh Gauge MP1	2.6	Leaves in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP1	0.7	Bird droppings in funnel	12/03/26	30/03/26	2026
Canyonleigh Gauge MP1	0.7		11/04/26	30/04/26	2026
Canyonleigh Gauge MP1	0.8		9/05/26	3/06/26	2026
Canyonleigh Gauge MP1	0.3		9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP1					2026
Canyonleigh Gauge MP1					2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1					2026
Canyonleigh Gauge MP1					2026
Number of Samples	9				2026
Lowest Sample	0.3				2026
Mean of Sample	1.3				2026
Mean of Sample	3.1				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 2 located south west of quarry. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:			
Monthly		12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2	7.9		23/11/21	9/12/21	2022
Canyonleigh Gauge MP2	2.6		22/12/21	19/01/22	2022
Canyonleigh Gauge MP2	3.6		28/01/22	18/02/22	2022
Canyonleigh Gauge MP2	1.5		26/02/22	10/03/22	2022
Canyonleigh Gauge MP2	0.8		28/03/22	5/04/22	2022
Canyonleigh Gauge MP2	1.0		20/04/22	4/05/22	2022
Canyonleigh Gauge MP2	0.7		20/05/22	2/06/22	2022
Canyonleigh Gauge MP2					2022
Number of Samples	7				2022
Lowest Sample	0.7				2022
Mean of Sample	2.6				2022
Highest Sample	7.9				2022
Canyonleigh Gauge MP2	0.7		20/06/22	29/06/22	2023
Canyonleigh Gauge MP2	0.7		18/07/22	26/07/22	2023
Canyonleigh Gauge MP2	0.5		15/08/22	30/08/22	2023
Canyonleigh Gauge MP2	1.3		12/09/22	27/09/22	2023
Canyonleigh Gauge MP2	0.6		10/10/22	17/10/22	2023
Canyonleigh Gauge MP2	0.5		7/11/22	16/11/22	2023
Canyonleigh Gauge MP2	1.2		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2	0.6		5/01/23	20/01/23	2023
Canyonleigh Gauge MP2	2		2/02/23	20/02/23	2023
Canyonleigh Gauge MP2	0.3		4/03/23	5/04/23	2023
Canyonleigh Gauge MP2	0.4		5/04/23	4/05/23	2023
Canyonleigh Gauge MP2	0.8		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.3				2023
Mean of Sample	0.8				2023
Highest Sample	2				2023
Canyonleigh Gauge MP2	0.3		5/06/23	28/06/23	2024
Canyonleigh Gauge MP2	0.6		4/07/23	24/07/23	2024
Canyonleigh Gauge MP2	0.6		11/08/23	23/08/23	2024
Canyonleigh Gauge MP2	1.1		14/09/23	5/10/23	2024
Canyonleigh Gauge MP2	0.3		16/10/23	13/11/23	2024
Canyonleigh Gauge MP2	1.5		16/11/23	14/12/23	2024
Canyonleigh Gauge MP2	0.9		15/12/23	7/02/24	2024
Canyonleigh Gauge MP2	2.1		15/01/24	7/02/24	2024
Canyonleigh Gauge MP2	1.9		14/02/24	28/02/24	2024
Canyonleigh Gauge MP2	6.3		15/03/24	5/04/24	2024
Canyonleigh Gauge MP2	3.7		16/04/24	27/05/24	2024
Canyonleigh Gauge MP2	0.3		20/05/24	18/06/24	2024
Canyonleigh Gauge MP2	0.4		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.3				2024
Mean of Sample	1.54				2024
Highest Sample	6.3				2024
Canyonleigh Gauge MP2	0.3		25/07/24	21/08/24	2025
Canyonleigh Gauge MP2	0.4		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2	0.3		27/09/24	9/10/24	2025
Canyonleigh Gauge MP2	2.5		26/11/24	10/12/24	2025
Canyonleigh Gauge MP2	3.4		27/12/24	7/02/25	2025
Canyonleigh Gauge MP2	1.9		24/01/25	7/02/25	2025
Canyonleigh Gauge MP2	1.9		24/02/25	4/04/25	2025
Canyonleigh Gauge MP2	1.7		25/03/25	2/05/25	2025
Canyonleigh Gauge MP2	0.5		23/04/25	2/05/25	2025
Canyonleigh Gauge MP2	1.4		21/05/25	28/05/25	2025
Canyonleigh Gauge MP2	0.3		18/06/25	23/07/25	2025
Canyonleigh Gauge MP2	0.3		24/07/25	7/08/25	2025
Canyonleigh Gauge MP2	0.3		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0.3				2025
Mean of Sample	1.2				2025
Highest Sample	3.4				2025
Canyonleigh Gauge MP2	0.6		24/09/25	3/10/25	2026
Canyonleigh Gauge MP2	1.7		25/10/25	5/11/25	2026
Canyonleigh Gauge MP2	1.7	Leaves in funnels	27/11/25	16/12/25	2026
Canyonleigh Gauge MP2	2.2	Leaves in funnel	7/01/26	2/02/26	2026
Canyonleigh Gauge MP2	1.9	Water dirty, bugs in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP2	1.2		12/03/26	30/03/26	2026
Canyonleigh Gauge MP2	0.4	Leaves and bark in funnel	11/04/26	30/04/26	2026
Canyonleigh Gauge MP2	1.2		9/05/26	3/06/26	2026
Canyonleigh Gauge MP2	0.4		9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP2					2026
Canyonleigh Gauge MP2					2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2					2026
Canyonleigh Gauge MP2					2026
Number of Samples	9				2026
Lowest Sample	0.4				2026
Mean of Sample	1.3				2026
Mean of Sample	2.2				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 3 located south east of quarry, near main shed. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:		12	
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3	0.7		23/11/21	9/12/21	2022
Canyonleigh Gauge MP3	0.5		22/12/21	19/01/22	2022
Canyonleigh Gauge MP3	0.3		28/01/22	18/02/22	2022
Canyonleigh Gauge MP3	0.8		26/02/22	10/03/22	2022
Canyonleigh Gauge MP3	0.2		28/03/22	5/04/22	2022
Canyonleigh Gauge MP3	0.7		20/04/22	4/05/22	2022
Canyonleigh Gauge MP3	0.6		20/05/22	2/06/22	2022
Canyonleigh Gauge MP3					2022
Number of Samples	7				2022
Lowest Sample	0.2				2022
Mean of Sample	0.5				2022
Highest Sample	0.8				2022
Canyonleigh Gauge MP3	0.2		20/06/22	29/06/22	2023
Canyonleigh Gauge MP3	0.5		18/07/22	26/07/22	2023
Canyonleigh Gauge MP3	0.4		15/08/22	30/08/22	2023
Canyonleigh Gauge MP3	0.8		12/09/22	27/09/22	2023
Canyonleigh Gauge MP3	0.1		10/10/22	17/10/22	2023
Canyonleigh Gauge MP3	0.5		7/11/22	16/11/22	2023
Canyonleigh Gauge MP3	1.1		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3	1.1		5/01/23	20/01/23	2023
Canyonleigh Gauge MP3	0.9		2/02/23	20/02/23	2023
Canyonleigh Gauge MP3	2.1		4/03/23	5/04/23	2023
Canyonleigh Gauge MP3	2.8		5/04/23	4/05/23	2023
Canyonleigh Gauge MP3	0.7		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.1				2023
Mean of Sample	0.9				2023
Highest Sample	2.8				2023
Canyonleigh Gauge MP3	0.1		5/06/23	28/06/23	2024
Canyonleigh Gauge MP3	0.4		4/07/23	24/07/23	2024
Canyonleigh Gauge MP3	0.3		11/08/23	23/08/23	2024
Canyonleigh Gauge MP3	0.6		14/09/23	5/10/23	2024
Canyonleigh Gauge MP3	1.4		16/10/23	13/11/23	2024
Canyonleigh Gauge MP3	0.3		16/11/23	14/12/23	2024
Canyonleigh Gauge MP3	1.9		15/12/23	7/02/24	2024
Canyonleigh Gauge MP3	0.9		15/01/24	7/02/24	2024
Canyonleigh Gauge MP3	1.4		14/02/24	28/02/24	2024
Canyonleigh Gauge MP3	1.5		15/03/24	5/04/24	2024
Canyonleigh Gauge MP3	2.3		16/04/24	27/05/24	2024
Canyonleigh Gauge MP3	0.3		20/05/24	18/06/24	2024
Canyonleigh Gauge MP3	0.2		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.1				2024
Mean of Sample	0.9				2024
Highest Sample	2.3				2024
Canyonleigh Gauge MP3	0.2		25/07/24	21/08/24	2025
Canyonleigh Gauge MP3	0.2		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3	0.4		27/09/24	9/10/24	2025
Canyonleigh Gauge MP3	1.3		26/11/24	10/12/24	2025
Canyonleigh Gauge MP3	1.8		27/12/24	7/02/25	2025
Canyonleigh Gauge MP3	2.2		24/01/25	7/02/25	2025
Canyonleigh Gauge MP3	2.3		24/02/25	4/04/25	2025
Canyonleigh Gauge MP3	1.9		25/03/25	2/05/25	2025
Canyonleigh Gauge MP3	0.9		23/04/25	2/05/25	2025
Canyonleigh Gauge MP3	0.5		21/05/25	28/05/25	2025
Canyonleigh Gauge MP3	0.4		18/06/25	23/07/25	2025
Canyonleigh Gauge MP3	0.5		24/07/25	7/08/25	2025
Canyonleigh Gauge MP3	0.4		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0.2				2025
Mean of Sample	1.0				2025
Mean of Sample	2.3				2025
Canyonleigh Gauge MP3	0.6		24/09/25	3/10/25	2026
Canyonleigh Gauge MP3	1.5		25/10/25	5/11/25	2026
Canyonleigh Gauge MP3	2.2	Bugs & Spider	27/11/25	16/12/25	2026
Canyonleigh Gauge MP3	1.2	Spider in funnel	7/01/26	2/02/26	2026
Canyonleigh Gauge MP3	1.4	Leaves in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP3	0.4		12/03/26	30/03/26	2026
Canyonleigh Gauge MP3	0.4	Bugs in water	11/04/26	30/04/26	2026
Canyonleigh Gauge MP3	0.5	Leaves in funnel	9/05/26	3/06/26	2026
Canyonleigh Gauge MP3	0.3	Leaf in funnel, leaves/bark in bottle	9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP3					2026
Canyonleigh Gauge MP3					2026
Canyonleigh Gauge MP3					2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3					2026
Number of Samples	9				2026
Lowest Sample	0.3				2026
Mean of Sample	0.9				2026
Mean of Sample	2.2				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 4 located at south east corner of quarry. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:		12	
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4	0.6		23/11/21	9/12/21	2022
Canyonleigh Gauge MP4	3.0		22/12/21	19/01/22	2022
Canyonleigh Gauge MP4	8.8	Rehabilitation work carried out nearby	28/01/22	18/02/22	2022
Canyonleigh Gauge MP4	0.5		26/02/22	10/03/22	2022
Canyonleigh Gauge MP4	0.4		28/03/22	5/04/22	2022
Canyonleigh Gauge MP4	1.0		20/04/22	4/05/22	2022
Canyonleigh Gauge MP4	0.7		20/05/22	2/06/22	2022
Canyonleigh Gauge MP4					2022
Number of Samples	7				2022
Lowest Sample	0.4				2022
Mean of Sample	2.1				2022
Highest Sample	8.8				2022
Canyonleigh Gauge MP4	0.4		20/06/22	29/06/22	2023
Canyonleigh Gauge MP4	0.5		18/07/22	26/07/22	2023
Canyonleigh Gauge MP4	0.5		15/08/22	30/08/22	2023
Canyonleigh Gauge MP4	1.1		12/09/22	27/09/22	2023
Canyonleigh Gauge MP4	0.5		10/10/22	17/10/22	2023
Canyonleigh Gauge MP4	1.0		7/11/22	16/11/22	2023
Canyonleigh Gauge MP4	1.3		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4	2.4		5/01/23	20/01/23	2023
Canyonleigh Gauge MP4	13.3		2/02/23	20/02/23	2023
Canyonleigh Gauge MP4	3.2		4/03/23	5/04/23	2023
Canyonleigh Gauge MP4	1.9		5/04/23	4/05/23	2023
Canyonleigh Gauge MP4	1.1		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.4				2023
Mean of Sample	2.3				2023
Highest Sample	13.3				2023
Canyonleigh Gauge MP4	0.2		5/06/23	28/06/23	2024
Canyonleigh Gauge MP4	0.3		4/07/23	24/07/23	2024
Canyonleigh Gauge MP4	0.5		11/08/23	23/08/23	2024
Canyonleigh Gauge MP4	0.6		14/09/23	5/10/23	2024
Canyonleigh Gauge MP4	1		16/10/23	13/11/23	2024
Canyonleigh Gauge MP4	0.6		16/11/23	14/12/23	2024
Canyonleigh Gauge MP4	1.3		15/12/23	7/02/24	2024
Canyonleigh Gauge MP4	2.4		15/01/24	7/02/24	2024
Canyonleigh Gauge MP4	1.3		14/02/24	28/02/24	2024
Canyonleigh Gauge MP4	0.5		15/03/24	5/04/24	2024
Canyonleigh Gauge MP4	1.8		16/04/24	27/05/24	2024
Canyonleigh Gauge MP4	0.7		20/05/24	18/06/24	2024
Canyonleigh Gauge MP4	0.3		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.2				2024
Mean of Sample	0.88				2024
Highest Sample	2.4				2024
Canyonleigh Gauge MP4	0.4		25/07/24	21/08/24	2025
Canyonleigh Gauge MP4	0.2		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4	0.5		27/09/24	9/10/24	2025
Canyonleigh Gauge MP4	1.4		26/11/24	10/12/24	2025
Canyonleigh Gauge MP4	3.1		27/12/24	7/02/25	2025
Canyonleigh Gauge MP4	1.7		24/01/25	7/02/25	2025
Canyonleigh Gauge MP4	5.3		24/02/25	4/04/25	2025
Canyonleigh Gauge MP4	0.9		25/03/25	2/05/25	2025
Canyonleigh Gauge MP4	1.1		23/04/25	2/05/25	2025
Canyonleigh Gauge MP4	0.8		21/05/25	28/05/25	2025
Canyonleigh Gauge MP4	0.3		18/06/25	23/07/25	2025
Canyonleigh Gauge MP4	0.4		24/07/25	7/08/25	2025
Canyonleigh Gauge MP4	0.2		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0.2				2025
Mean of Sample	1.3				2025
Mean of Sample	5.3				2025
Canyonleigh Gauge MP4	0.4		24/09/25	3/10/25	2026
Canyonleigh Gauge MP4	0.8		25/10/25	5/11/25	2026
Canyonleigh Gauge MP4	1.1		27/11/25	16/12/25	2026
Canyonleigh Gauge MP4	2.5		7/01/26	2/02/26	2026
Canyonleigh Gauge MP4	0.8	Bird poo in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP4	<0.1	Leaf in funnel/Bugs in bottle	12/03/26	30/03/26	2026
Canyonleigh Gauge MP4	0.9		11/04/26	30/04/26	2026
Canyonleigh Gauge MP4	1.6		9/05/26	3/06/26	2026
Canyonleigh Gauge MP4	0.3		9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP4					2026
Canyonleigh Gauge MP4					2026
Canyonleigh Gauge MP4					2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4					2026
Number of Samples	9				2026
Lowest Sample	0				2026
Mean of Sample	0.9				2026
Mean of Sample	2.5				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>

