

	BOD	mg/L	Quarterly	<2	20	no	17/12/13	30/12/13	22/01/14					
	Chlorine (free residual)	mg/L	Quarterly	1.2	2	no	17/12/13	30/12/13	22/01/14					
	TSS	mg/L	Quarterly	9	30	no	17/12/13	30/12/13	22/01/14					
	pH	pH	Quarterly	7.64	6 to 8	no	17/12/13	30/12/13	22/01/14					
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	no	17/12/13	30/12/13	22/01/14					
	Volume/day	kl/day	Monthly	2.8	50	no	30/12/14	30/12/14						
	BOD	mg/L	Quarterly	<2	20	no	12/03/14	19/03/14	14/04/14					
	Chlorine (free residual)	mg/L	Quarterly	0.8	2	no	12/03/14	19/03/14	14/04/14					
	TSS	mg/L	Quarterly	6	30	no	12/03/14	19/03/14	14/04/14					
	pH	pH	Quarterly	7.13	6 to 8	no	12/03/14	19/03/14	14/04/14					
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	no	12/03/14	19/03/14	14/04/14					
	Volume/day	kl/day	Monthly	3.6	50	no	30/12/14	30/12/14						
	BOD	mg/L	Quarterly	<2	20	no	4/06/14	25/06/14						
	Chlorine (free residual)	mg/L	Quarterly	0.5	2	no	4/06/14	25/06/14						
	TSS	mg/L	Quarterly	6	30	no	4/06/14	25/06/14						
	pH	pH	Quarterly	7.46	6 to 8	no	4/06/14	25/06/14						
	Faecal Coliforms	per 100 ml	Quarterly	1	200	no	4/06/14	25/06/14						
	Volume/day	kl/day	Monthly	2.9	50	no	30/12/14	30/12/14						
	BOD	mg/L	Quarterly	<2	20	no	9/09/14	17/09/14						
	Chlorine (free residual)	mg/L	Quarterly	0.51	2	no	9/09/14	17/09/14						
	TSS	mg/L	Quarterly	7	30	no	9/09/14	17/09/14						
	pH	pH	Quarterly	7.52	6 to 8	no	9/09/14	17/09/14						
	Faecal Coliforms	per 100 ml	Quarterly	2	200	no	9/09/14	17/09/14						
	Volume/day	kl/day	Monthly	3	50	no	30/12/14	30/12/14						
	BOD	mg/L	Quarterly	<2	20	no	12/12/14	6/01/15						
	Chlorine (free residual)	mg/L	Quarterly	0.93	2	no	12/12/14	6/01/15						
	TSS	mg/L	Quarterly	8	30	no	12/12/14	6/01/15						
	pH	pH	Quarterly	7.62	6 to 8	no	12/12/14	6/01/15						
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	12/12/14	6/01/15						
	Volume/day	kl/day	Monthly	3.3	50	no	30/12/14	30/12/14						
	BOD	mg/L	Quarterly	<2	20	no	5/03/15	13/03/15						
	Chlorine (free residual)	mg/L	Quarterly	1.82	2	no	5/03/15	13/03/15						
	TSS	mg/L	Quarterly	12	30	no	5/03/15	13/03/15						
	pH	pH	Quarterly	7.47	6 to 8	no	5/03/15	13/03/15						
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	5/03/15	13/03/15						
	Volume/day	kl/day	Monthly	1.8	50	no	1/04/15	1/04/15						
	BOD	mg/L	Quarterly	<2	20	no	16/06/15	23/06/15						
	Chlorine (free residual)	mg/L	Quarterly	1.07	2	no	16/06/15	23/06/15						
	TSS	mg/L	Quarterly	5	30	no	16/06/15	23/06/15						
	pH	pH	Quarterly	7.34	6 to 8	no	16/06/15	23/06/15						
	Faecal Coliforms	per 100 ml	Quarterly	2	200	no	16/06/15	23/06/15						
	Volume/day	kl/day	Monthly	4.1	50	no	1/07/15	1/07/15						

	BOD	mg/L	Quarterly	28	20	yes	15/09/15	21/09/15			23/09/2015	service company delayed service by one month	40%	
	Chlorine (free residual)	mg/L	Quarterly	0	2	no	15/09/15	21/09/15						
	TSS	mg/L	Quarterly	6	30	no	15/09/15	21/09/15						
	pH	pH	Quarterly	7.87	6 to 8	no	15/09/15	21/09/15						
	Faecal Coliforms	colony forming units per 100 ml	Quarterly	2100	200	yes	15/09/15	21/09/15			23/09/2015	service company delayed service by one month - chlorine almost depleted	950%	
	Volume/day	kL/day	Monthly	5	50	no	1/10/15	1/10/15						
	BOD	mg/L	Quarterly	80	20	yes	13/11/15	20/11/15			19/11/2015	one of the aerators assumed failed-retest done23/11/15	300%	
	Chlorine (free residual)	mg/L	Quarterly	0.63	2	no	13/11/15	20/11/15						
	TSS	mg/L	Quarterly	28	30	no	13/11/15	20/11/15						
	pH	pH	Quarterly	7.72	6 to 8	no	13/11/15	20/11/15						
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	13/11/15	20/11/15						
	Volume/day	kL/day	Monthly	NA	50	no								
	BOD	mg/L	Quarterly	<2	20	no	23/11/15	30/11/15				retest due to failure on 13/11/15		
	BOD	mg/L	Quarterly	<2	20	no	15/12/15	23/12/15						
	Chlorine (free residual)	mg/L	Quarterly	2.4	2	yes	15/12/15	23/12/15				retest organised-cause was due to sampler taking sample from beside chlorine dispenser-WI updated		
	TSS	mg/L	Quarterly	<5	30	no	15/12/15	23/12/15						
	pH	pH	Quarterly	7.73	6 to 8	no	15/12/15	23/12/15						
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	no	15/12/15	23/12/15						
	Volume/day	kL/day	Monthly	2.4	50	no	4/01/16	5/01/16						
	Chlorine (free residual)	mg/L	Quarterly	0.31	2	no	5/01/16	5/01/16				retest result		
	BOD	mg/L	Quarterly	<2	20	no	15/03/16	22/03/16						
	Chlorine (free residual)	mg/L	Quarterly	0.06	2	no	15/03/16	22/03/16						
	TSS	mg/L	Quarterly	<5	30	no	15/03/16	22/03/16						
	pH	pH	Quarterly	7.38	6 to 8	no	15/03/16	22/03/16						
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	no	15/03/16	22/03/16						
	Volume/day	kL/day	Monthly	1.4	50	no								
	BOD	mg/L	Quarterly	<2	20	no	15/06/16	23/06/16						
	Chlorine (free residual)	mg/L	Quarterly	<0.2	2	no	15/06/16	23/06/16						
	TSS	mg/L	Quarterly	8	30	no	15/06/16	23/06/16						
	pH	pH	Quarterly	7.38	6 to 8	no	15/06/16	23/06/16						

	Faecal Coliforms	per 100 ml	Quarterly	<1	200	no	15/06/16	23/06/16						
	Volume/day	kl/day	Monthly	3.8	50	no								
Sep-16														
	BOD	mg/L	Quarterly	<2	20	no	15/09/16	21/09/16						
	Chlorine (free residual)	mg/L	Quarterly	0.4	2	no	15/09/16	21/09/16						
	TSS	mg/L	Quarterly	19	30	no	15/09/16	21/09/16						
	pH	pH	Quarterly	7.65	6 to 8	no	15/09/16	21/09/16						
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	15/09/16	21/09/16						
	Volume/day	kl/day	Monthly	4.9	50	no								
Dec-16														
	BOD	mg/L	Quarterly	<2	20	no	15/12/16	10/12017						
	Chlorine (free residual)	mg/L	Quarterly	0.11	2	no	15/12/16	10/12018						
	TSS	mg/L	Quarterly	28	30	no	15/12/16	10/12019						
	pH	pH	Quarterly	7.77	6 to 8	no	15/12/16	10/12020						
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	15/12/16	10/12021						
	Volume/day	kl/day	Monthly	3	50	no								
Mar-17														
	BOD	mg/L	Quarterly	<2	20	no	3/04/17	3/04/17	10/04/17					
	Chlorine (free residual)	mg/L	Quarterly	0.3	2	no	3/04/17	3/04/17	10/04/17					
	TSS	mg/L	Quarterly	22	30	no	3/04/17	3/04/17	10/04/17					
	pH	pH	Quarterly	7.24	6 to 8	no	3/04/17	3/04/17	10/04/17					
	Faecal Coliforms	per 100 ml	Quarterly	-2	200	no	3/04/17	3/04/17	10/04/17					
	Volume/day	kl/day	Monthly	4	50	no								
Jun-17														
	BOD	mg/L	Quarterly	<2	20	no	26/07/17	1/08/17						
	Chlorine (free residual)	mg/L	Quarterly	0.11	2	no	26/07/17	1/08/17						
	TSS	mg/L	Quarterly	28	30	no	26/07/17	1/08/17						
	pH	pH	Quarterly	7.77	6 to 8	no	26/07/17	1/08/17						
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	26/07/17	1/08/17						
	Volume/day	kl/day	Monthly	4	50	no	26/07/17	1/08/17						
Sep-17														
	BOD	mg/L	Quarterly	6	20	no	28/09/17	29/09/17						
	Chlorine (free residual)	mg/L	Quarterly	0.22	2	no	28/09/17	29/09/17						
	TSS	mg/L	Quarterly	23	30	no	28/09/17	29/09/17						
	pH	pH	Quarterly	7.51	6 to 8	no	28/09/17	29/09/17						
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	no	28/09/17	29/09/17						
	Volume/day	kl/day	Monthly	4	50	no	28/09/17	29/09/17						
Dec-17														
	BOD	mg/L	Quarterly	10	20	no	12/12/17		13/12/17					
	Chlorine (free residual)	mg/L	Quarterly	1	2	no	12/12/17		13/12/17					
	TSS	mg/L	Quarterly	14	30	no	12/12/17		13/12/17					
	pH	pH	Quarterly	7.2	6 to 8	no	12/12/17		13/12/17					
	Faecal Coliforms	per 100 ml	Quarterly	50	200	no	12/12/17		13/12/17					
	Volume/day	kl/day	Monthly	4.8	50	no	12/12/17		13/12/17					
Mar-18														
	BOD	mg/L	Quarterly	<2	20	no	15/03/18		22/03/18					
	Chlorine (free residual)	mg/L	Quarterly	0.61	2	no	15/03/18		22/03/18					
	TSS	mg/L	Quarterly	7	30	no	15/03/18		22/03/18					
	pH	pH	Quarterly	7.79	6 to 8	no	15/03/18		22/03/18					
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	15/03/18		22/03/18					
	Volume/day	kl/day	Monthly	4.8	50	no	15/03/18		22/03/18					
Jun-18														
	BOD	mg/L	Quarterly	<2	20	no	20/06/18		27/06/18					
	Chlorine (free residual)	mg/L	Quarterly	0.16	2	no	20/06/18		27/06/18					
	TSS	mg/L	Quarterly	17	30	no	20/06/18		27/06/18					
	pH	pH	Quarterly	7.88	6 to 8	no	20/06/18		27/06/18					

	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	20/06/18		27/06/18					
	Volume/day	kl/day	Monthly	4.8	50	no	20/06/18		27/06/18					
Sep-18														
	BOD	mg/L	Quarterly	<2	20	no	17/09/18		24/09/18					
	Chlorine (free residual)	mg/L	Quarterly	0.49	2	no	17/09/18		24/09/18					
	TSS	mg/L	Quarterly	<5	30	no	17/09/18		24/09/18					
	pH	pH	Quarterly	7.65	6 to 8	no	17/09/18		24/09/18					
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	17/09/18		24/09/18					
	Volume/day	kl/day	Monthly	4.8	50	no	17/09/18		24/09/18					
Dec-18														
	BOD	mg/L	Quarterly	<2	20	no	13/12/18		19/12/18					
	Chlorine (free residual)	mg/L	Quarterly	0.32	2	no	13/12/18		19/12/18					
	TSS	mg/L	Quarterly	18	30	no	13/12/18		19/12/18					
	pH	pH	Quarterly	7.51	6 to 8	no	13/12/18		19/12/18					
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	13/12/18		19/12/18					
	Volume/day	kl/day	Monthly	4.8	50	no	13/12/18		19/12/18					
Mar-19														
	BOD	mg/L	Quarterly	<2	20	no	13/03/19		19/03/19					
	Chlorine (free residual)	mg/L	Quarterly	0.01	2	no	13/03/19		19/03/19					
	TSS	mg/L	Quarterly	4.7	30	no	13/03/19		19/03/19					
	pH	pH	Quarterly	7.55	6 to 8	no	13/03/19		19/03/19					
	Faecal Coliforms	per 100 ml	Quarterly	<2	200	no	13/03/19		19/03/19					
	Volume/day	kl/day	Monthly	4.8	50	no	13/03/19		19/03/19					
Jun-19														
	BOD	mg/L	Quarterly	<2	20	no	23/05/19		25/05/19					
	Chlorine (free residual)	mg/L	Quarterly	0.45	2	no	23/05/19		25/05/19					
	TSS	mg/L	Quarterly	13	30	no	23/05/19		25/05/19					
	pH	pH	Quarterly	7.3	6 to 8	no	23/05/19		25/05/19					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	no	23/05/19		25/05/19					
	Volume/day	kl/day	Monthly	4.8	50	no	23/05/19		25/05/19					
Aug-19														
	BOD	mg/L	Quarterly	12	20	no	21/08/19		22/08/19					
	Chlorine (free residual)	mg/L	Quarterly	1	2	no	21/08/19		22/08/19					
	TSS	mg/L	Quarterly	7	30	no	21/08/19		22/08/19					
	pH	pH	Quarterly	7.5	6 to 8	no	21/08/19		22/08/19					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	no	21/08/19		22/08/19					
	Volume/day	kl/day	Monthly	4.8	50	no	21/08/19		22/08/19					
Nov-19														
	BOD	mg/L	Quarterly	7	20	no	26/11/19		27/11/19					
	Chlorine (free residual)	mg/L	Quarterly	1	2	no	26/11/19		27/11/19					
	TSS	mg/L	Quarterly	14	30	no	26/11/19		27/11/19					
	pH	pH	Quarterly	7.7	6 to 8	no	26/11/19		27/11/19					
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	no	26/11/19		27/11/19					
	Volume/day	kl/day	Monthly	4.8	50	no	26/11/19		27/11/19					
Mar-20														
	BOD	mg/L	Quarterly	<2	20	no	26/03/20		27/03/20					
	Chlorine (free residual)	mg/L	Quarterly	1	2	no	26/03/20		27/03/20					
	TSS	mg/L	Quarterly	19	30	no	26/03/20		27/03/20					
	pH	pH	Quarterly	7.4	6 to 8	no	26/03/20		27/03/20					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	no	26/03/20		27/03/20					
	Volume/day	kl/day	Monthly	4.8	50	no	26/03/20		27/03/20					
May-20														
	BOD	mg/L	Quarterly	4	20	no	18/05/20		19/05/20					
	Chlorine (free residual)	mg/L	Quarterly	1	2	no	18/05/20		19/05/20					
	TSS	mg/L	Quarterly	12	30	no	18/05/20		19/05/20					
	pH	pH	Quarterly	7.4	6 to 8	no	18/05/20		19/05/20					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	no	18/05/20		19/05/20					

	Volume/day	kl/day	Monthly	4.8	50	no	18/05/20		19/05/20					
Aug-20														
	BOD	mg/L	Quarterly	2	20	No	1/09/20		2/09/20					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	1/09/20		2/09/20					
	TSS	mg/L	Quarterly	3	30	No	1/09/20		2/09/20					
	pH	pH	Quarterly	7.6	6 to 8	No	1/09/20		2/09/20					
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	No	1/09/20		2/09/20					
	Volume/day	kl/day	Monthly	4.8	50	No	1/09/20		2/09/20					
Dec-20														
	BOD	mg/L	Quarterly	5	20	No	4/12/20		5/12/20					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	4/12/20		5/12/20					
	TSS	mg/L	Quarterly	27	30	No	4/12/20		5/12/20					
	pH	pH	Quarterly	7.3	6 to 8	No	4/12/20		5/12/20					
	Faecal Coliforms	per 100 ml	Quarterly	<1	200	No	4/12/20		5/12/20					
	Volume/day	kl/day	Monthly	4.8	50	No	4/12/20		5/12/20					
Mar-21														
	BOD	mg/L	Quarterly	2	20	No	8/02/21		9/02/21					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	8/02/21		9/02/21					
	TSS	mg/L	Quarterly	2	30	No	8/02/21		9/02/21					
	pH	pH	Quarterly	7.4	6 to 8	No	8/02/21		9/02/21					
	Faecal Coliforms	per 100 ml	Quarterly	90	200	No	8/02/21		9/02/21					
	Volume/day	kl/day	Monthly	3.7	50	No	8/02/21		9/02/21					
Jul-21														
	BOD	mg/L	Quarterly	2	20	No	6/07/21		7/07/21					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	6/07/21		7/07/21					
	TSS	mg/L	Quarterly	4	30	No	6/07/21		7/07/21					
	pH	pH	Quarterly	7.4	6 to 8	No	6/07/21		7/07/21					
	Faecal Coliforms	per 100 ml	Quarterly	51	200	No	6/07/21		7/07/21					
	Volume/day	kl/day	Monthly	4	50	No	6/07/21		7/07/21					
Jan-22														
	BOD	mg/L	Quarterly	3	20	No	15/01/22		15/01/22					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	15/01/22		15/01/22					
	TSS	mg/L	Quarterly	28	30	No	15/01/22		15/01/22					
	pH	pH	Quarterly	7.4	6 to 8	No	15/01/22		15/01/22					
	Faecal Coliforms	per 100 ml	Quarterly	61	200	No	15/01/22		15/01/22					
	Volume/day	kl/day	Monthly	4.8	50	No	15/01/22		15/01/22					
Apr-22														
	BOD	mg/L	Quarterly	2	20	No	14/04/22		14/04/22					
	Chlorine (free residual)	mg/L	Quarterly	0.1	2	No	14/04/22		14/04/22					
	TSS	mg/L	Quarterly	28	30	No	14/04/22		14/04/22					
	pH	pH	Quarterly	7.5	6 to 8	No	14/04/22		14/04/22					
	Faecal Coliforms	per 100 ml	Quarterly	10	200	No	14/04/22		14/04/22					
	Volume/day	kl/day	Monthly	4.6	50	No	14/04/22		14/04/22					
Jun-22														
	BOD	mg/L	Quarterly	8	20	No	14/04/22		14/04/22					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	14/04/22		14/04/22					
	TSS	mg/L	Quarterly	24	30	No	14/04/22		14/04/22					
	pH	pH	Quarterly	7.3	6 to 8	No	14/04/22		14/04/22					
	Faecal Coliforms	per 100 ml	Quarterly	15	200	No	14/04/22		14/04/22					
	Volume/day	kl/day	Monthly	4.8	50	No	14/04/22		14/04/22					
Jul-22														
	BOD	mg/L	Quarterly	2	20	No	18/07/22		19/07/22					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	18/07/22		19/07/22					
	TSS	mg/L	Quarterly	18	30	No	18/07/22		19/07/22					
	pH	pH	Quarterly	7.3	6 to 8	No	18/07/22		19/07/22					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	18/07/22		19/07/22					
	Volume/day	kl/day	Monthly	4.5	50	No	18/07/22		19/07/22					

Oct-22														
	BOD	mg/L	Quarterly	4	20	No	11/10/22		12/10/22					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	11/10/22		12/10/22					
	TSS	mg/L	Quarterly	28	30	No	11/10/22		12/10/22					
	pH	pH	Quarterly	7.4	6 to 8	No	11/10/22		12/10/22					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	11/10/22		12/10/22					
	Volume/day	kL/day	Monthly	4.9	50	No	11/10/22		12/10/22					
Jan-23														
	BOD	mg/L	Quarterly	3	20	No	25/01/23		26/01/23					
	Chlorine (free residual)	mg/L	Quarterly	0.8	2	No	25/01/23		26/01/23					
	TSS	mg/L	Quarterly	4.8	30	No	25/01/23		26/01/23					
	pH	pH	Quarterly	7.2	6 to 8	No	25/01/23		26/01/23					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	25/01/23		26/01/23					
	Volume/day	kL/day	Monthly	5.2	50	No	25/01/23		26/01/23					
May-23														
	BOD	mg/L	Quarterly	3	20	No	5/05/23		6/05/23					
	Chlorine (free residual)	mg/L	Quarterly	<0.1	2	No	5/05/23		6/05/23					
	TSS	mg/L	Quarterly	7	30	No	5/05/23		6/05/23					
	pH	pH	Quarterly	7.4	6 to 8	No	5/05/23		6/05/23					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	5/05/23		6/05/23					
	Volume/day	kL/day	Monthly	4.7	50	No	5/05/23		6/05/23					
Jul-23														
	BOD	mg/L	Quarterly	4	20	No	21/07/23		22/07/23					
	Chlorine (free residual)	mg/L	Quarterly	0.1	2	No	21/07/23		22/07/23					
	TSS	mg/L	Quarterly	10	30	No	21/07/23		22/07/23					
	pH	pH	Quarterly	7.8	6 to 8	No	21/07/23		22/07/23					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	21/07/23		22/07/23					
	Volume/day	kL/day	Monthly	4.8	50	No	21/07/23		22/07/23					
Oct-23														
	BOD	mg/L	Quarterly	<2	20	No	16/10/23		17/10/23					
	Chlorine (free residual)	mg/L	Quarterly	1	2	No	16/10/23		17/10/23					
	TSS	mg/L	Quarterly	5	30	No	16/10/23		17/10/23					
	pH	pH	Quarterly	7.2	6 to 8	No	16/10/23		17/10/23					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	16/10/23		17/10/23					
	Volume/day	kL/day	Monthly	4.6	50	No	16/10/23		17/10/23					
Mar-24														
	BOD	mg/L	Quarterly	<2	20	No	8/04/24		9/04/24					
	Chlorine (free residual)	mg/L	Quarterly	0.9	2	No	8/04/24		9/04/24					
	TSS	mg/L	Quarterly	10	30	No	8/04/24		9/04/24					
	pH	pH	Quarterly	7.3	6 to 8	No	8/04/24		9/04/24					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	8/04/24		9/04/24					
	Volume/day	kL/day	Monthly	4.8	50	No	8/04/24		9/04/24					
May-24														
Technician	BOD	mg/L	Quarterly	4	20	No	14/05/24		15/05/24					
Paul Jeong	Chlorine (free residual)	mg/L	Quarterly	<.1	2	No	14/05/24		15/05/24					
	TSS	mg/L	Quarterly	5	30	No	14/05/24		15/05/24					
	pH	pH	Quarterly	7.6	6 to 8	No	14/05/24		15/05/24					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	14/05/24		15/05/24					
	Volume/day	kL/day	Monthly	4.5	50	No	14/05/24		15/05/24					
Jul-24														
Technician	BOD	mg/L	Quarterly	20	20	No	16/07/24		17/07/24					
Young Rok Lee	Chlorine (free residual)	mg/L	Quarterly	<.1	2	No	16/07/24		17/07/24					
	TSS	mg/L	Quarterly	29	30	No	16/07/24		17/07/24					
	pH	pH	Quarterly	7.7	6 to 8	No	16/07/24		17/07/24					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	16/07/24		17/07/24					
	Volume/day	kL/day	Monthly	4.5	50	No	16/07/24		17/07/24					
Oct-24														

Technician	BOD	mg/L	Quarterly	6	20	No	21/10/24		22/10/24					
Young Rok Lee	Chlorine (free residual)	mg/L	Quarterly	2	2	No	21/10/24		22/10/24					
	TSS	mg/L	Quarterly	6	30	No	21/10/24		22/10/24					
	pH	pH	Quarterly	7.4	6 to 8	No	21/10/24		22/10/24					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	21/10/24		22/10/24					
	Volume/day	kl/day	Monthly	5.1	50	No	21/10/24		22/10/24					
Feb-25														
Technician	BOD	mg/L	Quarterly	2	20	No	13/02/25		14/02/25					
Young Rok Lee	Chlorine (free residual)	mg/L	Quarterly	2	2	No	13/02/25		14/02/25					
	TSS	mg/L	Quarterly	2	30	No	13/02/25		14/02/25					
	pH	pH	Quarterly	7.4	6 to 8	No	13/02/25		14/02/25					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	13/02/25		14/02/25					
	Volume/day	kl/day	Monthly	5.2	50	No	13/02/25		14/02/25					
May-25														
Technician	BOD	mg/L	Quarterly	6	20	No	19/05/25		19/05/25					
Young Rok Lee	Chlorine (free residual)	mg/L	Quarterly	2.6	2	No	19/05/25		19/05/25					
	TSS	mg/L	Quarterly	6	30	No	19/05/25		19/05/25					
	pH	pH	Quarterly	7.4	6 to 8	No	19/05/25		19/05/25					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	19/05/25		19/05/25					
	Volume/day	kl/day	Monthly	4.9	50	No	19/05/25		19/05/25					
Oct-25														
Technician	BOD	mg/L	Quarterly	3.1	20	No	24/10/25		25/10/25					
Young Rok Lee	Chlorine (free residual)	mg/L	Quarterly	0.1	2	No	24/10/25		25/10/25					
	TSS	mg/L	Quarterly	7	30	No	24/10/25		25/10/25					
	pH	pH	Quarterly	7.6	6 to 8	No	24/10/25		25/10/25					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	24/10/25		25/10/25					
	Volume/day	kl/day	Monthly	4.9	50	No	24/10/25		25/10/25					
Apr-26														
	BOD	mg/L	Quarterly	<2	20	No	16/04/25		25/05/26					
	Chlorine (free residual)	mg/L	Quarterly	1.1	2	No	16/04/25		25/05/26					
	TSS	mg/L	Quarterly	<2	30	No	16/04/25		25/05/26					
	pH	pH	Quarterly	7.1	6 to 8	No	16/04/25		25/05/26					
	Faecal Coliforms	per 100 ml	Quarterly	<10	200	No	16/04/25		25/05/26					
	Volume/day	kl/day	Monthly	4.9	50	No	16/04/25		25/05/26					

EPA Licence Number: L2014
Licensee Name: CSR Building Products Limited
Licensee Address: 75 Townson Road, Schofields, NSW, 2762
Link to Licence: <http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31186&SYSUID=1&LICID=2014>

CORRECTION LOG										Exceedance / Non-ComplianceTable				
Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 4	pH	pH	Daily during any discharge	7.9	6-8	no	19/02/14	21/02/14	11/03/14					
Schofields Clay Quarry Location of Discharge Point	TSS	mg/L	Daily during any discharge	23	50	no	19/02/14	21/02/14	11/03/14					
	Volume	L	Daily during any discharge		NA	NA	19/02/14		NA					
	pH	pH	Daily during any discharge	8	6-8	no	20/02/14	21/02/14	11/03/14					
	TSS	mg/L	Daily during any discharge	29	50	no	20/02/14	21/02/14	11/03/14					
	Volume	L	Daily during any discharge		NA	NA	20/02/14		NA					
	pH	pH	Daily during any discharge	7.9	6-8	no	21/02/14	26/02/14	11/03/14					
	TSS	mg/L	Daily during any discharge	7	50	no	21/02/14	26/02/14	11/03/14					
	Volume	L	Daily during any discharge		NA	NA	21/02/14		NA					
	pH	pH	Daily during any discharge	7.7	6-8	no	22/02/14	26/02/14	11/03/14					
	TSS	mg/L	Daily during any discharge	5	50	no	22/02/14	26/02/14	11/03/14					
	Volume	L	Daily during any discharge		NA	NA	22/02/14		NA					
	pH	pH	Daily during any discharge	7.9	6-8	no	24/02/14	26/02/14	11/03/14					
	TSS	mg/L	Daily during any discharge	6	50	no	24/02/14	26/02/14	11/03/14					
	Volume	L	Daily during any discharge		NA	NA	24/02/14		NA					
	pH	pH	Daily during any discharge	8	6-8	no	25/02/14	26/02/14	11/03/14					
	TSS	mg/L	Daily during any discharge	5	50	no	25/02/14	26/02/14	11/03/14					
	Volume	L	Daily during any discharge		NA	NA	25/02/14		NA					
	pH	pH	Daily during any discharge	7.6	6-8	no	19/03/14	10/04/14						
	TSS	mg/L	Daily during any discharge	3	50	no	19/03/14	10/04/14						
	Volume	L	Daily during any discharge		NA	NA	19/03/14							
	pH	pH	Daily during any discharge	7.9	6-8	no	20/03/14	10/04/14						
	TSS	mg/L	Daily during any discharge	2	50	no	20/03/14	10/04/14						
	Volume	L	Daily during any discharge		NA	NA	20/03/14							
	pH	pH	Daily during any discharge	7.8	6-8	no	21/03/14	10/04/14						
	TSS	mg/L	Daily during any discharge	2	50	no	21/03/14	10/04/14						
	Volume	L	Daily during any discharge		NA	NA	21/03/14							
	pH	pH	Daily during any discharge	8.1	6-8	yes	25/03/14	7/04/14	14/04/14				1.25%	Dam water measurement were within limits - surface water measurement was not because heavy rain contributed to it being out of tolerance with water travelling over alkaline clay surface

[illegible]

	pH	pH	Daily during any discharge	7.1	6-8	no	6/05/14	6/05/14					
	TSS	mg/L	Daily during any discharge	4	50	no	6/05/14	6/05/14					
	Volume	L	Daily during any discharge	840000	NA	NA	6/05/14		NA				
	pH	pH	Daily during any discharge	6.2	6-8	no	7/05/14	14/05/14	15/03/14				
	TSS	mg/L	Daily during any discharge	2	50	no	7/05/14	14/05/14	15/03/14				
	Volume	L	Daily during any discharge	840000	NA	NA	7/05/14		NA				
	pH	pH	Daily during any discharge	6.2	6-8	no	8/05/14	14/05/14	15/03/14				
	TSS	mg/L	Daily during any discharge	4	50	no	8/05/14	14/05/14	15/03/14				
	Volume	L	Daily during any discharge	840000	NA	NA	8/05/14		NA				
	pH	pH	Daily during any discharge	5.5	6-8	yes	13/05/14	14/05/14	15/03/14			weeks earlier decrease pH as dam level dropped	
	TSS	mg/L	Daily during any discharge	2	50	no	13/05/14	14/05/14	15/03/14				
	Volume	L	Daily during any discharge	200000	NA	NA	13/05/14		NA				
1	pH	pH	Daily during any discharge	6.6	6-8	no	16/07/14	18/07/14					
	TSS	mg/L	Daily during any discharge	2	50	no	16/07/14	18/07/14					
	Volume	L	Daily during any discharge	1,170,000	NA	NA			NA				
2	pH	pH	Daily during any discharge	6.5	6-8	no	17/07/14	18/07/14					
	TSS	mg/L	Daily during any discharge	1	50	no	17/07/14	18/07/14					
	Volume	L	Daily during any discharge	624000	NA	NA			NA				
3	pH	pH	Daily during any discharge	6.8	6-8	no	17/07/14	18/07/14					
	TSS	mg/L	Daily during any discharge	2	50	no	17/07/14	18/07/14					
	Volume	L	Daily during any discharge	1296000	NA	NA			NA				
4	pH	pH	Daily during any discharge	6.7	6-8	no	18/07/14	21/07/14					
	TSS	mg/L	Daily during any discharge	2	50	no	18/07/14	21/07/14					
	Volume	L	Daily during any discharge	780000	NA	NA			NA				
5	pH	pH	Daily during any discharge	7	6-8	no	18/07/14	21/07/14					
	TSS	mg/L	Daily during any discharge	3	50	no	18/07/14	21/07/14					
	Volume	L	Daily during any discharge	702000	NA	NA			NA				
6	pH	pH	Daily during any discharge	6.7	6-8	no	23/07/14	24/07/14					
	TSS	mg/L	Daily during any discharge	24	50	no	23/07/14	24/07/14					
	Volume	L	Daily during any discharge	546000	NA	NA			NA				
7	pH	pH	Daily during any discharge	7.2	6-8	no	24/07/14	25/07/14					
	TSS	mg/L	Daily during any discharge	5	50	no	24/07/14	25/07/14					
	Volume	L	Daily during any discharge	624000	NA	NA			NA				
8	pH	pH	Daily during any discharge	7.2	6-8	no	25/07/14	28/07/14					
	TSS	mg/L	Daily during any discharge	3	50	no	25/07/14	28/07/14					
	Volume	L	Daily during any discharge	624000	NA	NA			NA				
	pH	pH	Daily during any discharge	7.8	6-8	no	25/08/14	26/08/14					Dominic Carnovale said they didn't discharge
	TSS	mg/L	Daily during any discharge	23	50	no	25/08/14	26/08/14					

	Volume	L	Daily during any discharge	0	NA	NA			NA					
	pH	pH	Daily during any discharge	7.1	6-8	no	25/08/14	26/08/14						Dominic Carnovale said they didn't discharge
	TSS	mg/L	Daily during any discharge	56	50	yes	25/08/14	26/08/14						Results later that day were within limits
	Volume	L	Daily during any discharge	0	NA	NA	25/08/14		NA					
	pH	pH	Daily during any discharge	7.3	6-8	no	27/08/14	1/09/14						Dominic Carnovale said they didn't discharge
	TSS	mg/L	Daily during any discharge	NA	50	no	27/08/14	1/09/14						
	Volume	L	Daily during any discharge	0	NA	NA	27/08/14		NA					
	pH	pH	Daily during any discharge	7.3	6-8	no	27/08/14	1/09/14						Dominic Carnovale said they didn't discharge
	TSS	mg/L	Daily during any discharge	NA	50	no	27/08/14	1/09/14						
	Volume	L	Daily during any discharge	0	NA	NA	27/08/14		NA					
	pH	pH	Daily during any discharge	7.1	6-8	no	26/08/14	1/09/14						Dominic Carnovale said they didn't discharge
	TSS	mg/L	Daily during any discharge	NA	50	no	26/08/14	1/09/14						
	Volume	L	Daily during any discharge	0	NA	NA	26/08/14		NA					
9	pH	pH	Daily during any discharge	7.2	6-8	no	25/08/14	26/08/14						
	TSS	mg/L	Daily during any discharge	19	50	no	25/08/14	26/08/14						
	Volume	L	Daily during any discharge	1320000	NA	NA	25/08/14		NA					
10	pH	pH	Daily during any discharge	7.2	6-8	no	8/09/14	10/09/14						
	TSS	mg/L	Daily during any discharge	24	50	no	8/09/14	10/09/14						
	Volume	L	Daily during any discharge	1320000	NA	NA	8/09/14		NA					
11	pH	pH	Daily during any discharge	7.3	6-8	no	9/09/14	10/09/14						
	TSS	mg/L	Daily during any discharge	34	50	no	9/09/14	10/09/14						
	Volume	L	Daily during any discharge	1188000	NA	NA	9/09/14		NA					
12	pH	pH	Daily during any discharge	7.3	6-8	no	10/09/14	10/09/14						
	TSS	mg/L	Daily during any discharge	49	50	no	10/09/14	10/09/14						
	Volume	L	Daily during any discharge	48000	NA	NA	10/09/14		NA					
13	pH	pH	Daily during any discharge	7.1	6-8	no	23/09/14	24/09/14						
	TSS	mg/L	Daily during any discharge	7	50	no	23/09/14	24/09/14						
	Volume	L	Daily during any discharge	1248000	NA	NA	23/09/14		NA					
14	pH	pH	Daily during any discharge	7.3	6-8	no	24/09/14	21/10/14						
	TSS	mg/L	Daily during any discharge	5	50	no	24/09/14	21/10/14						
	Volume	L	Daily during any discharge	1872000	NA	NA	24/09/14		NA					
15	pH	pH	Daily during any discharge	7.4	6-8	no	29/09/14	21/10/14						
	TSS	mg/L	Daily during any discharge	5	50	no	29/09/14	21/10/14						
	Volume	L	Daily during any discharge	2160000	NA	NA			NA					
16	pH	pH	Daily during any discharge	7.6	6-8	no	20/10/14	21/10/14						
	TSS	mg/L	Daily during any discharge	18	50	no	20/10/14	21/10/14						
	Volume	L	Daily during any discharge		NA	NA	20/10/14		NA					
17	pH	pH	Daily during any discharge	7.8	6-8	no	20/10/14	21/10/14						
	TSS	mg/L	Daily during any discharge	24	50	no	20/10/14	21/10/14						
	Volume	L	Daily during any discharge	936000	NA	NA	20/10/14		NA					
18	pH	pH	Daily during any discharge	7.4	6-8	no	21/10/14	22/10/14						
	TSS	mg/L	Daily during any discharge	5	50	no	21/10/14	22/10/14						
	Volume	L	Daily during any discharge	1248000	NA	NA	21/10/14		NA					
19	pH	pH	Daily during any discharge	7.4	6-8	no	22/10/14	23/10/14						
	TSS	mg/L	Daily during any discharge	5	50	no	22/10/14	23/10/14						
	Volume	L	Daily during any discharge		NA	NA			NA					
20	pH	pH	Daily during any discharge	6.8	6-8	no	22/10/14	23/10/14						
	TSS	mg/L	Daily during any discharge	28	50	no	22/10/14	23/10/14						
	Volume	L	Daily during any discharge	780000	NA	NA			NA					
21	pH	pH	Daily during any discharge	7.7	6-8	no	9/12/14	9/12/14						
	TSS	mg/L	Daily during any discharge	35	50	no	9/12/14	9/12/14						
	Volume	L	Daily during any discharge	2376000	NA	NA			NA					

22	pH	pH	Daily during any discharge	7.3	6-8	no	10/12/14	17/12/14					
	TSS	mg/L	Daily during any discharge	42	50	no	10/12/14	17/12/14					
	Volume	L	Daily during any discharge	1716000	NA	NA			NA				
23	pH	pH	Daily during any discharge	7.3	6-8	no	11/12/14	17/12/14					
	TSS	mg/L	Daily during any discharge	38	50	no	11/12/14	17/12/14					
	Volume	L	Daily during any discharge	1716000	NA	NA			NA				
24	pH	pH	Daily during any discharge	7.3	6-8	no	19/12/14	19/12/14					
	TSS	mg/L	Daily during any discharge	28	50	no	19/12/14	19/12/14					
	Volume	L	Daily during any discharge		NA	NA			NA				
25	pH	pH	Daily during any discharge	6.7	6-8	no	19/12/14	19/12/14					
	TSS	mg/L	Daily during any discharge	37	50	no	19/12/14	19/12/14					
	Volume	L	Daily during any discharge	468000	NA	NA			NA				
26	pH	pH	Daily during any discharge	7.3	6-8	no	22/12/14	22/12/14					
	TSS	mg/L	Daily during any discharge	8	50	no	22/12/14	22/12/14					
	Volume	L	Daily during any discharge		NA	NA			NA				
27	pH	pH	Daily during any discharge	7.2	6-8	no	22/12/14	22/12/14					
	TSS	mg/L	Daily during any discharge	38	50	no	22/12/14	22/12/14					
	Volume	L	Daily during any discharge	468000	NA	NA			NA				
28	pH	pH	Daily during any discharge	7.2	6-8	no	22/12/14	23/12/14					
	TSS	mg/L	Daily during any discharge	8	50	no	22/12/14	23/12/14					
	Volume	L	Daily during any discharge		NA	NA			NA				
29	pH	pH	Daily during any discharge	7.4	6-8	no	23/12/14	23/12/14					
	TSS	mg/L	Daily during any discharge	41	50	no	23/12/14	23/12/14					
	Volume	L	Daily during any discharge	858000	NA	NA			NA				
30	pH	pH	Daily during any discharge	6.8	6-8	no	24/12/14	24/12/14					
	TSS	mg/L	Daily during any discharge	37	50	no	24/12/14	24/12/14					
	Volume	L	Daily during any discharge	1248000	NA	NA	24/12/14		NA				
31	pH	pH	Daily during any discharge	7.2	6-8	no	14/01/15	16/01/15					
	TSS	mg/L	Daily during any discharge	29	50	no	14/01/15	16/01/15					
	Volume	L	Daily during any discharge	1,248,000	NA	NA			NA				
32	pH	pH	Daily during any discharge	7.1	6-8	no	15/01/15	16/01/15					
	TSS	mg/L	Daily during any discharge	3	50	no	15/01/15	16/01/15					
	Volume	L	Daily during any discharge	624000	NA	NA			NA				
33	pH	pH	Daily during any discharge	7.7	6-8	no	29/01/15	29/01/15					
	TSS	mg/L	Daily during any discharge	42	50	no	29/01/15	29/01/15					
	Volume	L	Daily during any discharge	2,160,000	NA	NA	29/01/15	29/01/15	NA				
34	pH	pH	Daily during any discharge	7.5	6-8	no	5/02/15	5/02/15					
	TSS	mg/L	Daily during any discharge	10	50	no	5/02/15	5/02/15					
	Volume	L	Daily during any discharge	624,000	NA	NA	5/02/15	5/02/15	NA				
35	pH	pH	Daily during any discharge	7	6-8	no	18/02/15	18/02/15					
	TSS	mg/L	Daily during any discharge	1	50	no	18/02/15	18/02/15					
	Volume	L	Daily during any discharge	1,512,000	NA	NA	18/02/15	18/02/15	NA				
36	pH	pH	Daily during any discharge	7.4	6-8	no	20/02/15	20/02/15					
	TSS	mg/L	Daily during any discharge	14	50	no	20/02/15	20/02/15					
	Volume	L	Daily during any discharge	1,512,000	NA	NA	20/02/15	20/02/15	NA				
37	pH	pH	Daily during any discharge	7.7	6-8	no	23/02/15	23/02/15					
	TSS	mg/L	Daily during any discharge	9	50	no	23/02/15	23/02/15					
	Volume	L	Daily during any discharge	2,376,000	NA	NA	23/02/15		NA				
38	pH	pH	Daily during any discharge	7.7	6-8	no	23/02/15	23/02/15					
	TSS	mg/L	Daily during any discharge	38	50	no	23/02/15	23/02/15					
	Volume	L	Daily during any discharge		NA	NA	23/02/15		NA				
39	pH	pH	Daily during any discharge	7.4	6-8	no	26/02/15	26/02/15					
	TSS	mg/L	Daily during any discharge	21	50	no	26/02/15	26/02/15					

	Volume	L	Daily during any discharge	2,592,000	NA	NA	26/02/15		NA					
40	pH	pH	Daily during any discharge	7.6	6-8	no	10/04/15	10/04/15						
	TSS	mg/L	Daily during any discharge	29	50	no	10/04/15	10/04/15						
	Volume	L	Daily during any discharge	2,376,000	NA	NA	10/04/15		NA					
41	pH	pH	Daily during any discharge	7.6	6-8	no	1/05/15	4/05/15						
	TSS	mg/L	Daily during any discharge	42	50	no	1/05/15	4/05/15						
	Volume	L	Daily during any discharge	2,160,000	NA	NA	1/05/15		NA					
42	pH	pH	Daily during any discharge	7.7	6-8	no	2/05/15	4/05/15						
	TSS	mg/L	Daily during any discharge	44	50	no	2/05/15	4/05/15						
	Volume	L	Daily during any discharge	2,880,000	NA	NA	2/05/15		NA					
	pH	pH	Daily during any discharge	7.4	6-8	no	15/05/15	15/05/15						
	TSS	mg/L	Daily during any discharge	24	50	no	15/05/15	15/05/15						
	Volume	L	Daily during any discharge	3,600,000	NA	NA	15/05/15		NA					
	pH	pH	Daily during any discharge	7.4	6-8	no	21/05/15	22/05/15						
	TSS	mg/L	Daily during any discharge	27	50	no	21/05/15	22/05/15						
	Volume	L	Daily during any discharge	3,600,000	NA	NA	21/05/15		NA					
	pH	pH	Daily during any discharge	7.8	6-8	no	29/06/15	29/06/15						
	TSS	mg/L	Daily during any discharge	33	50	no	29/06/15	29/06/15						
	Volume	L	Daily during any discharge	2,400,000	NA	NA	29/06/15		NA					
	pH	pH	Daily during any discharge	7.3	6-8	no	30/06/15	30/06/15						
	TSS	mg/L	Daily during any discharge	40	50	no	30/06/15	30/06/15						
	Volume	L	Daily during any discharge	2,600,000	NA	NA	30/06/15		NA					
	pH	pH	Daily during any discharge	7.8	6-8	no	2/07/15	2/07/15						
	TSS	mg/L	Daily during any discharge	17	50	no	2/07/15	2/07/15						
	Volume	L	Daily during any discharge	2,800,000	NA	NA	2/07/15		NA					
	pH	pH	Daily during any discharge	7.2	6-8	no	3/09/15	3/09/15						
	TSS	mg/L	Daily during any discharge	16	50	no	3/09/15	3/09/15						
	Volume	L	Daily during any discharge	2,800,000	NA	NA	3/09/15		NA					
	pH	pH	Daily during any discharge	7.3	6-8	no	25/11/15	25/11/15						
	TSS	mg/L	Daily during any discharge	4	50	no	25/11/15	25/11/15						
	Volume	L	Daily during any discharge	4,000,000	NA	NA	25/11/15	25/11/15	NA					
	pH	pH	Daily during any discharge	6.8	6-8	no	2/02/16	2/02/16						
	TSS	mg/L	Daily during any discharge	41	50	no	2/02/16	2/02/16						
	Volume	L	Daily during any discharge	2,880,000	NA	NA	2/02/16	2/02/16	NA					
	pH	pH	Daily during any discharge	7.3	6-8	no	16/03/16	16/03/16						
	TSS	mg/L	Daily during any discharge	12	50	no	16/03/16	16/03/16						
	Volume	L	Daily during any discharge	864,000	NA	NA	16/03/16	16/03/16	NA					
	pH	pH	Daily during any discharge	6.7	6-8	no	11/04/16	11/04/16						
	TSS	mg/L	Daily during any discharge	11	50	no	11/04/16	11/04/16						
	Volume	L	Daily during any discharge	2,000,000	NA	NA	11/04/16	11/04/16	NA					
	pH	pH	Daily during any discharge	6.8	6-8	no	16/06/16	16/06/16						
	TSS	mg/L	Daily during any discharge	6	50	no	16/06/16	16/06/16						
	Volume	L	Daily during any discharge	3,380,000	NA	NA	16/06/16	16/06/16	NA					
	pH	pH	Daily during any discharge	7.3	6-8	no	16/08/16	16/08/16						
	TSS	mg/L	Daily during any discharge	59	50	yes	16/08/16	16/08/16						
	Volume	L	Daily during any discharge	1,630,000	NA	NA	16/08/16	16/08/16	NA					
	pH	pH	Daily during any discharge	7.5	6-8	no	16/08/16	16/08/16						
	TSS	mg/L	Daily during any discharge	47	50	no	16/08/16	16/08/16						
	Volume	L	Daily during any discharge	1,650,000	NA	NA	16/08/16	16/08/16	NA					
	Report No : 3688													
	pH	pH	Daily during any discharge	6.2	6-8	no	21/12/16	21/12/16						
	TSS	mg/L	Daily during any discharge	13	50	no								

	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 3911													
	pH	pH	Daily during any discharge	7	6-8	no	7/03/17	7/03/17						
	TSS	mg/L	Daily during any discharge	34	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4004													
	pH	pH	Daily during any discharge	6.5	6-8	no	21/03/17	21/03/17						
	TSS	mg/L	Daily during any discharge	28	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4017													
	pH	pH	Daily during any discharge	7.4	6-8	no	23/03/17	23/03/17						
	TSS	mg/L	Daily during any discharge	24	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4028													
	pH	pH	Daily during any discharge	6.5	6-8	no	24/03/17	24/03/17						
	TSS	mg/L	Daily during any discharge	8	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4036													
	pH	pH	Daily during any discharge	6.5	6-8	no	28/03/17	28/03/17						
	TSS	mg/L	Daily during any discharge	11	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4047													
	pH	pH	Daily during any discharge	7.4	6-8	no	30/03/17	30/03/17						
	TSS	mg/L	Daily during any discharge	31	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4077													
	pH	pH	Daily during any discharge	6.7	6-8	no	4/04/17	4/04/17						
	TSS	mg/L	Daily during any discharge	13	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4090													
	pH	pH	Daily during any discharge	7	6-8	no	6/04/17	6/04/17						
	TSS	mg/L	Daily during any discharge	27	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4121													
	pH	pH	Daily during any discharge	6.5	6-8	no	11/04/17	11/04/17						
	TSS	mg/L	Daily during any discharge	35	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4138													
	pH	pH	Daily during any discharge	7.1	6-8	no	13/04/17	13/04/17						
	TSS	mg/L	Daily during any discharge	13	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4149													
	pH	pH	Daily during any discharge	7	6-8	no	19/04/17	19/04/17						
	TSS	mg/L	Daily during any discharge	21	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4167													
	pH	pH	Daily during any discharge	7.3	6-8	no	21/04/17	21/04/17						
	TSS	mg/L	Daily during any discharge	18	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4391													
	pH	pH	Daily during any discharge	7.2	6-8	no	16/06/17	16/06/17						
	TSS	mg/L	Daily during any discharge	16	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4409													
	pH	pH	Daily during any discharge	7.1	6-8	no	19/06/17	19/06/17						
	TSS	mg/L	Daily during any discharge	5	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4448													
	pH	pH	Daily during any discharge	7.1	6-8	no	21/06/17	21/06/17						
	TSS	mg/L	Daily during any discharge	8	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4460													
	pH	pH	Daily during any discharge	7.1	6-8	no	23/06/17	23/06/17						
	TSS	mg/L	Daily during any discharge	9	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4468													
	pH	pH	Daily during any discharge	6.9	6-8	no	26/06/17	26/06/17						
	TSS	mg/L	Daily during any discharge	6	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4479													

	pH	pH	Daily during any discharge	6.8	6-8	no	28/06/17	28/06/17						
	TSS	mg/L	Daily during any discharge	11	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4484													
	pH	pH	Daily during any discharge	7.5	6-8	no	30/06/17	30/06/17						
	TSS	mg/L	Daily during any discharge	11	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4491													
	pH	pH	Daily during any discharge	6.7	6-8	no	3/07/17	3/07/17						
	TSS	mg/L	Daily during any discharge	3	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4520													
	pH	pH	Daily during any discharge	6.7	6-8	no	5/07/17	5/07/17						
	TSS	mg/L	Daily during any discharge	8	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4525													
	pH	pH	Daily during any discharge	6.8	6-8	no	7/07/17	7/07/17						
	TSS	mg/L	Daily during any discharge	8	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4560													
	pH	pH	Daily during any discharge	7	6-8	no	12/07/17	12/07/17						
	TSS	mg/L	Daily during any discharge	8	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4602													
	pH	pH	Daily during any discharge	6.7	6-8	no	24/07/17	24/07/17						
	TSS	mg/L	Daily during any discharge	5	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 4634													
	pH	pH	Daily during any discharge	6.8	6-8	no	2/08/17	2/08/17						
	TSS	mg/L	Daily during any discharge	4	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5126													
	pH	pH	Daily during any discharge	7.3	6-8	no	24/11/17	24/11/17						
	TSS	mg/L	Daily during any discharge	6	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5207													
	pH	pH	Daily during any discharge	7.2	6-8	no	8/12/17	8/12/17						
	TSS	mg/L	Daily during any discharge	9	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5484													
	pH	pH	Daily during any discharge	6.4	6-8	no	28/02/18	28/02/18						
	TSS	mg/L	Daily during any discharge	6	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5514													
	pH	pH	Daily during any discharge	6.9	6-8	no	2/03/18	2/03/18						
	TSS	mg/L	Daily during any discharge	13	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5527													
	pH	pH	Daily during any discharge	6.7	6-8	no	6/03/18	6/03/18						
	TSS	mg/L	Daily during any discharge	10	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5534													
	pH	pH	Daily during any discharge	6.8	6-8	no	8/03/18	8/03/18						
	TSS	mg/L	Daily during any discharge	17	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 5979													
	pH	pH	Daily during any discharge	7.3	6-8	no	7/06/18	7/06/18						
	TSS	mg/L	Daily during any discharge	38	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA			NA					
	Report No : 6852													
	pH	pH	Daily during any discharge	6.2	6-8	no	18/12/18	18/12/18						
	TSS	mg/L	Daily during any discharge	25	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 6861													
	pH	pH	Daily during any discharge	7	6-8	no	20/12/18	20/12/18						
	TSS	mg/L	Daily during any discharge	23	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 6940													
	pH	pH	Daily during any discharge	6.9	6-8	no	14/01/19	14/01/19						
	TSS	mg/L	Daily during any discharge	10	50	no								

	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 7657													
	pH	pH	Daily during any discharge	7.9	6-8	no	24/06/19	24/06/19						
	TSS	mg/L	Daily during any discharge	7	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8655													
	pH	pH	Daily during any discharge	7.2	6-8	no	11/02/20	11/02/20						
	TSS	mg/L	Daily during any discharge	3	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8728/1													
	pH	pH	Daily during any discharge	7	6-8	no	14/02/20	14/02/20						
	TSS	mg/L	Daily during any discharge	<2	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8728/2													
	pH	pH	Daily during any discharge	7	6-8	no	17/02/20	17/02/20						
	TSS	mg/L	Daily during any discharge	<2	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8728/3													
	pH	pH	Daily during any discharge	7.6	6-8	no	18/02/20	18/02/20						
	TSS	mg/L	Daily during any discharge	3	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8966													
	pH	pH	Daily during any discharge	7.1	6-8	no	8/04/20	15/04/20						
	TSS	mg/L	Daily during any discharge	7	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8967													
	pH	pH	Daily during any discharge	7.1	6-8	no	9/04/20	15/04/20						
	TSS	mg/L	Daily during any discharge	2	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 8976													
	pH	pH	Daily during any discharge	7.3	6-8	no	21/04/20	22/04/20						
	TSS	mg/L	Daily during any discharge	13	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 9057													
	pH	pH	Daily during any discharge	8	6-8	no	5/05/20	8/05/20						
	TSS	mg/L	Daily during any discharge	4	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 9967													
	pH	pH	Daily during any discharge	6.7	6-8	no	2/11/20	3/11/20	4/11/20					
	TSS	mg/L	Daily during any discharge	2	50	no								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10714													
	pH	pH	Daily during any discharge	7.2	6-8	No	25/03/21	25/03/21	25/03/21					
	TSS	mg/L	Daily during any discharge	32	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10725													
	pH	pH	Daily during any discharge	7.3	6-8	No	27/03/21	29/03/21	29/03/21					
	TSS	mg/L	Daily during any discharge	13	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10820/1													
	pH	pH	Daily during any discharge	7.1	6-8	No	29/03/21	29/03/21	29/03/21					
	TSS	mg/L	Daily during any discharge	21	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10820/2													
	pH	pH	Daily during any discharge	7.2	6-8	No	1/04/21	1/04/21	1/04/21					
	TSS	mg/L	Daily during any discharge	6	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10820/3													
	pH	pH	Daily during any discharge	7.2	6-8	No	6/04/21	6/04/21	6/04/21					
	TSS	mg/L	Daily during any discharge	25	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10820/4													
	pH	pH	Daily during any discharge	7.5	6-8	No	8/04/21	8/04/21	8/04/21					
	TSS	mg/L	Daily during any discharge	15	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10856													
	pH	pH	Daily during any discharge	6.8	6-8	No	14/04/21	14/04/21	19/04/21					
	TSS	mg/L	Daily during any discharge	3	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10887													

	pH	pH	Daily during any discharge	6.9	6-8	No	22/04/21	23/04/21	23/04/21					
	TSS	mg/L	Daily during any discharge	<5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 10896													
	pH	pH	Daily during any discharge	6.8	6-8	No	27/04/21	28/04/21	28/04/21					
	TSS	mg/L	Daily during any discharge	<2	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 11110													
	pH	pH	Daily during any discharge	7.2	6-8	No	8/06/21	8/06/21	10/06/21		30/08/2022	Incorrect date initially recorded has now been rectified		
	TSS	mg/L	Daily during any discharge	<5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 11777													
	pH	pH	Daily during any discharge	7.2	6-8	No	10/11/21	11/10/21	11/11/21		30/08/2022	Incorrect date initially recorded has now been rectified		
	TSS	mg/L	Daily during any discharge	<5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 11923													
	pH	pH	Daily during any discharge	7.2	6-8	No	29/11/21		1/12/21					
	TSS	mg/L	Daily during any discharge	<5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12388													
	pH	pH	Daily during any discharge	7.1	6-8	No	1/03/22		1/03/22					
	TSS	mg/L	Daily during any discharge	7	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12482													
	pH	pH	Daily during any discharge	7.7	6-8	No	11/03/22		11/03/22					
	TSS	mg/L	Daily during any discharge	5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12497													
	pH	pH	Daily during any discharge	7.6	6-8	No	14/03/22		15/03/22					
	TSS	mg/L	Daily during any discharge	15	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12606													
	pH	pH	Daily during any discharge	7.4	6-8	No	30/03/22		30/03/22					
	TSS	mg/L	Daily during any discharge	16	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12675													
	pH	pH	Daily during any discharge	7.3	6-8	No	8/04/22		8/04/22					
	TSS	mg/L	Daily during any discharge	10	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12755													
	pH	pH	Daily during any discharge	7.3	6-8	No	22/04/22		26/04/22					
	TSS	mg/L	Daily during any discharge	8	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12833													
	pH	pH	Daily during any discharge	7.3	6-8	No	11/05/22		12/05/22					
	TSS	mg/L	Daily during any discharge	5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12902													
	pH	pH	Daily during any discharge	7.4	6-8	No	23/05/22		25/05/22					
	TSS	mg/L	Daily during any discharge	18	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 12931													
	pH	pH	Daily during any discharge	7.3	6-8	No	31/05/22		31/05/22					
	TSS	mg/L	Daily during any discharge	10	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 13038													
	pH	pH	Daily during any discharge	7.5	6-8	No	20/06/22		22/06/22					
	TSS	mg/L	Daily during any discharge	17	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 13192													
	pH	pH	Daily during any discharge	7.3	6-8	No	12/07/22		12/07/22					
	TSS	mg/L	Daily during any discharge	13	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 13222													
	pH	pH	Daily during any discharge	7.4	6-8	No	19/07/22		20/07/22					
	TSS	mg/L	Daily during any discharge	5	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 13345													
	pH	pH	Daily during any discharge	7.6	6-8	No	9/08/22		9/08/22					

	TSS	mg/L	Daily during any discharge	4	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 13484													
	pH	pH	Daily during any discharge	7.1	6-8	No	6/09/22		7/09/22					
	TSS	mg/L	Daily during any discharge	0	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								
	Report No : 13825													
	pH	pH	Daily during any discharge	7.8	6-8	No	31/10/22		31/10/22					
	TSS	mg/L	Daily during any discharge	0	50	No								
	Volume	L	Daily during any discharge	3,200,000	NA	NA								

	Report No : 14573	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	6.9	6.7	6-8	No	27/04/23		27/04/23					
	TSS	mg/L		0	0	50	No								
	Volume	L		0	0	NA	NA								
	Report No : 14760	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	7	7	6-8	No	31/05/23		31/05/23					
	TSS	mg/L		0	0	50	No								
	Volume	L		0	0	NA	NA								
	Report No : 15678	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	7.2	8	6-8	No	31/01/24		2/02/24					
	TSS	mg/L		0	0	50	No								
	Volume	L		0	0	NA	NA								
	Report No : 15767	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	6.8	7	6-8	No	12/02/24		12/02/24					
	TSS	mg/L		0	0	50	No								
	Volume	L		0	0	NA	NA								
	Report No : 15944	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	6.9	6.9	6-8	No	4/04/24		5/04/24					
	TSS	mg/L		0	0	50	No								
	Volume	L		0	0	NA	NA								
	Report No : 16031	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	6.7	6.8	6-8	No	17/04/24		17/04/24					
	TSS	mg/L		0	0	50	No								
	Volume	L		0	0	NA	NA								
	Report No : 16824	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	0	7.1	6-8	No	26/08/24		30/08/24					
	TSS	mg/L		0	0	50	No	26/08/24		30/08/24					
	Volume	L		0	0	NA	NA	26/08/24		30/08/24					
	Report No : 16953	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	7.1	7.8	6-8	No	1/10/24		2/10/24					
	TSS	mg/L		46	25	50	No	1/10/24		2/10/24					
	Volume	L		0	0	NA	NA	1/10/24		2/10/24					
	Report No : 17043	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	7.3	7.8	6-8	No	24/10/24		25/10/24					
	TSS	mg/L		34	6	50	No	24/10/24		25/10/24					
	Volume	L		0	0	NA	NA	24/10/24		25/10/24					
	Report No : 17606	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	7.2	6.9	6-8	No	20/02/25		20/02/25					
	TSS	mg/L		0	0	50	No	20/02/25		20/02/25					
	Volume	L		0	0	NA	NA	20/02/25		20/02/25					
	Report No : 17923	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	7.3	7.8	6-8	No	22/04/25		24/04/25					
	TSS	mg/L		34	6	50	No	22/04/25		24/04/25					

	Volume	L	0	0	0	NA	NA	22/04/25		24/04/25					
	Report No : 17923	Units of Measure	Monitoring Frequency Required by Licence	Measurement Dam 2	Measurement Dam 3	100 percentile limit	EX Y/N	Date Sampled		Date Obtained	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
	pH	pH	No Discharge.Deflocked at Dam 2 & 3 then used in the Process	8.2	9.5	6-8	No	27/08/25		1/09/25					
	TSS	mg/L		<5	<5		No	27/08/25		1/09/25					
	Volume	L		0	0	NA	NA	27/08/25		1/09/25					



CSR Bricks & Roofing - Schofields EPA Monitoring Points

EPA Licence Number: L2014

Licensee Name: CSR Building Products Limited

Licensee Address: 75 Townson Road, Schofields, NSW, 2762

Link to Licence: <http://www.environment.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31186&SYSUID=1&LICID=2014>

CORRECTION LOG										Exceedance / Non-ComplianceTable				
Sampling Point	Pollutant	Units of Measure	Monitoring Frequency Required by Licence	Measurement	100 percentile limit	Exceedance (yes/no)	Date Sampled	Date Obtained	Date Published	Corrected Data	Date Corrected	Reason	Extent of Exceedance	Reason / Context
Point 5	Insoluble Solids	gm2/mth	monthly	2	4.0	no	16/07/14	23/07/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.7		no	16/07/14	23/07/14	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	16/07/14	23/07/14	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.5	4.0	no	16/07/14	23/07/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.3		no	16/07/14	23/07/14	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	16/07/14	23/07/14	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	18/08/14	26/08/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.9		no	18/08/14	26/08/14	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	18/08/14	26/08/14	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	18/08/14	26/08/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	18/08/14	26/08/14	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	18/08/14	26/08/14	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	18/09/14	26/09/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.3		no	18/09/14	26/09/14	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	18/09/14	26/09/14	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	3.4	4.0	no	18/09/14	26/09/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	2.8		no	18/09/14	26/09/14	NA					

	Combustible Matter	gm2/mth	monthly	0.6		no	18/09/14	26/09/14	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	4	4.0	no	16/10/14	23/10/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	3.5		no	16/10/14	23/10/14	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	16/10/14	23/10/14	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1	4.0	no	16/10/14	23/10/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.9		no	16/10/14	23/10/14	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	16/10/14	23/10/14	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	5.6	4.0	yes	17/11/14	26/11/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	4.6		no	17/11/14	26/11/14	NA					
	Combustible Matter	gm2/mth	monthly	1		no	17/11/14	26/11/14	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	2.4	4.0	no	17/11/14	26/11/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	2.1		no	17/11/14	26/11/14	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	17/11/14	26/11/14	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	2.9	4.0	no	16/12/14	24/12/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	2.4		no	16/12/14	24/12/14	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	16/12/14	24/12/14	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	4.6	4.0	yes	16/12/14	24/12/14	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	4.2		no	16/12/14	24/12/14	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	16/12/14	24/12/14	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	2	4.0	no	15/01/15	23/01/15	NA					

Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.4		no	15/01/15	23/01/15	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	15/01/15	23/01/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1	4.0	no	15/01/15	23/01/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		no	15/01/15	23/01/15	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	15/01/15	23/01/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	2.1	4.0	no	15/01/15	23/01/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.3		no	15/01/15	23/01/15	NA					
	Combustible Matter	gm2/mth	monthly	0.8		no	15/01/15	23/01/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	15/01/15	23/01/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	15/01/15	23/01/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	15/01/15	23/01/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	2.9	4.0	no	16/03/15	19/03/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.8		no	16/03/15	19/03/15	NA					
	Combustible Matter	gm2/mth	monthly	1.1		no	16/03/15	19/03/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.4	4.0	no	16/03/15	19/03/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.1		no	16/03/15	19/03/15	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	16/03/15	19/03/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	1.5	4.0	no	17/04/15	2/05/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.3		no	17/04/15	2/05/15	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	17/04/15	2/05/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	17/04/15	2/05/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		no	17/04/15	2/05/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	17/04/15	2/05/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	0.5	4.0	no	25/05/15	25/05/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.5		no	25/05/15	25/05/15	NA					

	Combustible Matter	gm2/mth	monthly	0.1		no	25/05/15	25/05/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	25/05/15	25/05/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.2		no	25/05/15	25/05/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	25/05/15	25/05/15	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	25/05/15	25/05/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.3		no	25/05/15	25/05/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	25/05/15	25/05/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	1.6	4.0	no	17/06/15	17/06/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.4		no	17/06/15	17/06/15	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	17/06/15	17/06/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	17/06/15	17/06/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		no	17/06/15	17/06/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	17/06/15	17/06/15	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.7	4.0	no	17/06/15	17/06/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.3		no	17/06/15	17/06/15	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	17/06/15	17/06/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	16/07/15	23/07/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.2		no	16/07/15	23/07/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	16/07/15	23/07/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1	4.0	no	16/07/15	23/07/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.9		no	16/07/15	23/07/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	16/07/15	23/07/15	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.8	4.0	no	16/07/15	23/07/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.5		no	16/07/15	23/07/15	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	16/07/15	23/07/15	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	13/08/15	21/08/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.4		no	13/08/15	21/08/15	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	13/08/15	21/08/15	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	13/08/15	21/08/15	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	13/08/15	21/08/15	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	13/08/15	21/08/15	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.6	4.0	no	13/08/15	21/08/15	NA					

Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.3		no	13/08/15	21/08/15	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	13/08/15	21/08/15	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no	17/09/15	17/09/15	NA					
	Ash	gm2/mth	monthly			no	17/09/15	17/09/15	NA					
	Combustible Matter	gm2/mth	monthly			no	17/09/15	17/09/15	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly		4.0	no	17/09/15	17/09/15	NA					
	Ash	gm2/mth	monthly			no	17/09/15	17/09/15	NA					
	Combustible Matter	gm2/mth	monthly			no	17/09/15	17/09/15	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly		4.0	no	17/09/15	17/09/15	NA					
	Ash	gm2/mth	monthly			no	17/09/15	17/09/15	NA					
	Combustible Matter	gm2/mth	monthly			no	17/09/15	17/09/15	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	16/10/15	26/10/15	NA					
	Ash	gm2/mth	monthly	0.6		no	16/10/15	26/10/15	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	16/10/15	26/10/15	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.5	4.0	no	16/10/15	26/10/15	NA					
	Ash	gm2/mth	monthly	0.5		no	16/10/15	26/10/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	16/10/15	26/10/15	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	16/10/15	26/10/15	NA					
	Ash	gm2/mth	monthly	0.8		no	16/10/15	26/10/15	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	16/10/15	26/10/15	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	17/11/15	25/11/15	NA					
	Ash	gm2/mth	monthly	0.5		no	17/11/15	25/11/15	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	17/11/15	25/11/15	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	17/11/15	25/11/15	NA					
	Ash	gm2/mth	monthly	0.6		no	17/11/15	25/11/15	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	17/11/15	25/11/15	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.9	4.0	no	17/11/15	25/11/15	NA					
	Ash	gm2/mth	monthly	1.3		no	17/11/15	25/11/15	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	17/11/15	25/11/15	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	1.9	4.0	no	15/12/15	24/12/15	NA					
	Ash	gm2/mth	monthly	1.2		no	15/12/15	24/12/15	NA					
	Combustible Matter	gm2/mth	monthly	2		no	15/12/15	24/12/15	NA					

Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	15/12/15	24/12/15	NA					
	Ash	gm2/mth	monthly	0.9		no	15/12/15	24/12/15	NA					
	Combustible Matter	gm2/mth	monthly	6		no	15/12/15	24/12/15	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	10.5	4.0	yes	15/12/15	24/12/15	NA					
	Ash	gm2/mth	monthly	8.7		no	15/12/15	24/12/15	NA					
	Combustible Matter	gm2/mth	monthly	3		no	15/12/15	24/12/15	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	1.4	4.0	no	22/02/16	28/02/16	NA					
	Ash	gm2/mth	monthly	0.9		no	22/02/16	28/02/16	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	22/02/16	28/02/16	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1	4.0	no	22/02/16	28/02/16	NA					
	Ash	gm2/mth	monthly	0.7		no	22/02/16	28/02/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	22/02/16	28/02/16	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	2	4.0	no	22/02/16	28/02/16	NA					
	Ash	gm2/mth	monthly	1.5		no	22/02/16	28/02/16	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	22/02/16	28/02/16	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	2.6	4.0	no	8/03/16	11/03/16	NA					
	Ash	gm2/mth	monthly	1.5		no	8/03/16	11/03/16	NA					
	Combustible Matter	gm2/mth	monthly	1.1		no	8/03/16	11/03/16	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	8/03/16	11/03/16	NA					
	Ash	gm2/mth	monthly	0.8		no	8/03/16	11/03/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	8/03/16	11/03/16	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	4.4	4.0	no	8/03/16	11/03/16	NA					
	Ash	gm2/mth	monthly	2.9		no	8/03/16	11/03/16	NA					
	Combustible Matter	gm2/mth	monthly	1.5		no	8/03/16	11/03/16	NA					
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	5/04/16	12/04/16	NA					
	Ash	gm2/mth	monthly	1.1		no	5/04/16	12/04/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	5/04/16	12/04/16	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	2.2	4.0	no	5/04/16	12/04/16	NA					
	Ash	gm2/mth	monthly	1.9		no	5/04/16	12/04/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	5/04/16	12/04/16	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	3.5	4.0	no	5/04/16	12/04/16	NA					
	Ash	gm2/mth	monthly	3.4		no	5/04/16	12/04/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	5/04/16	12/04/16	NA					

Point 5	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	5/05/16	11/05/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.6		no	5/05/16	11/05/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	5/05/16	11/05/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.9	4.0	no	5/05/16	11/05/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.6		no	5/05/16	11/05/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	5/05/16	11/05/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	3.7	4.0	no	5/05/16	11/05/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	3.4		no	5/05/16	11/05/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	5/05/16	11/05/16	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	2.2	4.0	no	2/06/16	14/06/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	2		no	2/06/16	14/06/16	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	2/06/16	14/06/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	2.4	4.0	no	2/06/16	14/06/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	2		no	2/06/16	14/06/16	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	2/06/16	14/06/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	4.6	4.0	no	2/06/16	14/06/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	4		no	2/06/16	14/06/16	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	2/06/16	14/06/16	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	2/06/16	14/06/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1		no	2/06/16	14/06/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	2/06/16	14/06/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	4/07/16	8/07/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		no	4/07/16	8/07/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	4/07/16	8/07/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.5	4.0	no	4/07/16	8/07/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.2		no	4/07/16	8/07/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	4/07/16	8/07/16	NA					
Point 5	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	10/08/16	10/08/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1		no	10/08/16	10/08/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	10/08/16	10/08/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	10/08/16	10/08/16	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		no	10/08/16	10/08/16	NA					

	Combustible Matter	gm2/mth	monthly	0.1		no	10/08/16	10/08/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.5	4.0	no	10/08/16	10/08/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.2		no	10/08/16	10/08/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	10/08/16	10/08/16	NA					
Report No : 3441														
Point 5	Insoluble Solids	gm2/mth	monthly	2	4.0	no	1/09/16	1/09/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.5		no	1/09/16	1/09/16	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	1/09/16	1/09/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	1/09/16	1/09/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		no	1/09/16	1/09/16	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	1/09/16	1/09/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.5	4.0	no	1/09/16	1/09/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2		no	1/09/16	1/09/16	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	1/09/16	1/09/16	NA					
Report No : 3258														
Point 5	Insoluble Solids	gm2/mth	monthly	1.4	4.0	no	31/10/16	31/10/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.1		no	31/10/16	31/10/16	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	31/10/16	31/10/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	31/10/16	31/10/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		no	31/10/16	31/10/16	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	31/10/16	31/10/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.8	4.0	no	31/10/16	31/10/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.3		no	31/10/16	31/10/16	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	31/10/16	31/10/16	NA					
Report No : 3615														
Point 5	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	29/11/16	29/11/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1		no	29/11/16	29/11/16	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	29/11/16	29/11/16	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	29/11/16	29/11/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.9		no	29/11/16	29/11/16	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	29/11/16	29/11/16	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1	4.0	no	29/11/16	29/11/16	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.8		no	29/11/16	29/11/16	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	29/11/16	29/11/16	NA					
Report No : 3768														
Point 5	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	21/12/16	21/12/16	NA					

Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.6		no	21/12/16	21/12/16	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	21/12/16	21/12/16	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	21/12/16	21/12/16	NA					
	Ash	gm2/mth	monthly	0.6		no	21/12/16	21/12/16	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	21/12/16	21/12/16	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	2.8	4.0	no	21/12/16	21/12/16	NA					
	Ash	gm2/mth	monthly	2.2		no	21/12/16	21/12/16	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	21/12/16	21/12/16	NA					
Report No : 3856														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	1.9	4.0	no	21/02/17	21/02/17	NA					
	Ash	gm2/mth	monthly	1.2		no	21/02/17	21/02/17	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	21/02/17	21/02/17	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	5.3	4.0	no	21/02/17	21/02/17	NA					
	Ash	gm2/mth	monthly	4.7		yes	21/02/17	21/02/17	NA			Non Compliant . Less than 2meters from ground level		
	Combustible Matter	gm2/mth	monthly	0.6		no	21/02/17	21/02/17	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	3	4.0	no	21/02/17	21/02/17	NA					
	Ash	gm2/mth	monthly	2.4		no	21/02/17	21/02/17	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	21/02/17	21/02/17	NA					
Report No : 3970														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	24/03/17	24/03/17	NA					
	Ash	gm2/mth	monthly	0.5		no	24/03/17	24/03/17	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	24/03/17	24/03/17	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	24/03/17	24/03/17	NA					
	Ash	gm2/mth	monthly	1		no	24/03/17	24/03/17	NA			Height of gauge exceeds 2.2m to new ground level		
	Combustible Matter	gm2/mth	monthly	0.1		no	24/03/17	24/03/17	NA					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	24/03/17	24/03/17	NA					
	Ash	gm2/mth	monthly	0.6		no	24/03/17	24/03/17	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	24/03/17	24/03/17	NA					
Report No : 4279														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly	1.4	4.0	no	24/05/17	31/05/17	NA					
	Ash	gm2/mth	monthly	1.1		no	24/05/17	31/05/17	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	24/05/17	31/05/17	NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1	4.0	no	24/05/17	31/05/17	NA					
	Ash	gm2/mth	monthly	0.8		no	24/05/17	31/05/17	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	24/05/17	31/05/17	NA					

Point 7	Insoluble Solids	gm2/mth	monthly	4	4.0	no	24/05/17	31/05/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	3.3		no	24/05/17	31/05/17	NA								
	Combustible Matter	gm2/mth	monthly	0.7		no	24/05/17	31/05/17	NA								
Report No : 4279																	
Point 5	Insoluble Solids	gm2/mth	monthly	1.4		no	23/05/17	23/05/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1		no	23/05/17	23/05/17	NA								
	Combustible Matter	gm2/mth	monthly	0.3		no	23/05/17	23/05/17	NA								
Point 6	Insoluble Solids	gm2/mth	monthly	1		no	23/05/17	23/05/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		no	23/05/17	23/05/17	NA								
	Combustible Matter	gm2/mth	monthly	0.2		no	23/05/17	23/05/17	NA								
Point 7	Insoluble Solids	gm2/mth	monthly	4	4.0	no	23/05/17	23/05/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	3.3		no	23/05/17	23/05/17	NA								
	Combustible Matter	gm2/mth	monthly	0.7		no	23/05/17	23/05/17	NA								
Report No : 4403																	
Point 5	Insoluble Solids	gm2/mth	monthly	9	4.0	no	20/06/17	20/06/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.7		no	20/06/17	20/06/17	NA								
	Combustible Matter	gm2/mth	monthly	0.2		no			NA								
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	20/06/17	20/06/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		no	20/06/17	20/06/17	NA								
	Combustible Matter	gm2/mth	monthly	0.2		no	20/06/17	20/06/17	NA								
Report No : 4403																	
Point 5	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	21/06/17	29/06/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.7		no			NA								
	Combustible Matter	gm2/mth	monthly	0.2		no			NA								
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no			NA								
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		no			NA								
	Combustible Matter	gm2/mth	monthly	0.2		no			NA								
Point 7	Insoluble Solids	gm2/mth	monthly		4.0	no			NA								
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly			no			NA								
	Combustible Matter	gm2/mth	monthly			no			NA								
Report No : 4667																	
Point 5	Insoluble Solids	gm2/mth	monthly	2	4.0	no	15/08/17	24/08/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.6		no	15/08/17	24/08/17	NA								
	Combustible Matter	gm2/mth	monthly	0.4		no	15/08/17	24/08/17	NA								
Point 6	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	15/08/17	24/08/17	NA								
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1		no	15/08/17	24/08/17	NA								
	Combustible Matter	gm2/mth	monthly	0.1		no	15/08/17	24/08/17	NA								

Point 7	Insoluble Solids	gm2/mth	monthly	2.1	4.0	no	15/08/17	24/08/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.6		no	15/08/17	24/08/17	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	15/08/17	24/08/17	NA					
Report No : 4766														
Point 5	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	13/09/17	15/09/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.9		no	13/09/17	15/09/17	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	13/09/17	15/09/17	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	13/09/17	15/09/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		no	13/09/17	15/09/17	NA					
	Combustible Matter	gm2/mth	monthly	0.5		no	13/09/17	15/09/17	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.6	4.0	no	13/09/17	15/09/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.2		no	13/09/17	15/09/17	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	13/09/17	15/09/17	NA					
Report No : 4858														
Point 5	Insoluble Solids	gm2/mth	monthly	1.5	4.0	no	10/10/17	16/10/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1.2		no	10/10/17	16/10/17	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	10/10/17	16/10/17	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	10/10/17	16/10/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		no	10/10/17	16/10/17	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	10/10/17	16/10/17	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.5	4.0	no	10/10/17	16/10/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.1		no	10/10/17	16/10/17	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	10/10/17	16/10/17	NA					
Report No : 5106														
Point 5	Insoluble Solids	gm2/mth	monthly	3	4.0	no	5/12/17	11/12/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	2.4		no	5/12/17	11/12/17	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	5/12/17	11/12/17	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	3.3	4.0	no	5/12/17	11/12/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	2.9		no	5/12/17	11/12/17	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	5/12/17	11/12/17	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.8	4.0	no	5/12/17	11/12/17	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.2		no	5/12/17	11/12/17	NA					
	Combustible Matter	gm2/mth	monthly	0.6		no	5/12/17	11/12/17	NA					
Report No : 5329														
Point 5	Insoluble Solids	gm2/mth	monthly	1	4.0	no	30/01/18	5/02/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	0.8		no	30/01/18	5/02/18	NA					

	Combustible Matter	gm2/mth	monthly	0.2		no	30/01/18	5/02/18	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	30/01/18	5/02/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	30/01/18	5/02/18	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	30/01/18	5/02/18	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	0.9	4.0	no	30/01/18	5/02/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.8		no	30/01/18	5/02/18	NA					
	Combustible Matter	gm2/mth	monthly	0.1		no	30/01/18	5/02/18	NA					
Report No : 5420														
Point 5	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	28/02/18	7/03/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1		no	28/02/18	7/03/18	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	28/02/18	7/03/18	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	28/02/18	7/03/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.9		no	28/02/18	7/03/18	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	28/02/18	7/03/18	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	2.4	4.0	no	28/02/18	7/03/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.2		no	28/02/18	7/03/18	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	28/02/18	7/03/18	NA					
Report No : 5717														
Point 5	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	24/04/18	4/05/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly	1		no	24/04/18	4/05/18	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	24/04/18	4/05/18	NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.6	4.0	no	24/04/18	4/05/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	24/04/18	4/05/18	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	24/04/18	4/05/18	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	24/04/18	4/05/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		no	24/04/18	4/05/18	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	24/04/18	4/05/18	NA					
Report No : 5917														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA			Dust Gauge removed due to works on site.		
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	22/05/18	1/06/18	NA					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.05		no	22/05/18	1/06/18	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	22/05/18	1/06/18	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	22/05/18	1/06/18	NA					

[illegible]

Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	9/10/18	14/11/18	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	9/10/18	14/11/18	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	9/10/18	14/11/18	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	9/10/18	14/11/18	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		no	9/10/18	14/11/18	NA					
	Combustible Matter	gm2/mth	monthly	0.3		no	9/10/18	14/11/18	NA					
Report No : 6735														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.5	4.0	no	9/10/18	14/11/18	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.3		no	9/10/18	14/11/18	NA					
	Combustible Matter	gm2/mth	monthly	0.2		no	9/10/18	14/11/18	NA					
Point 7	Insoluble Solids	gm2/mth	monthly	1.9	4.0	no	4/12/18	10/12/18	NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.5		no	4/12/18	10/12/18	NA					
	Combustible Matter	gm2/mth	monthly	0.4		no	4/12/18	10/12/18	NA					
Report No : 6957														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	29/01/19	7/02/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		no	29/01/19	7/02/19						
	Combustible Matter	gm2/mth	monthly	<0.1		no	29/01/19	7/02/19						
Point 7	Insoluble Solids	gm2/mth	monthly	1.4	4.0	no	29/01/19	7/02/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.3		no	29/01/19	7/02/19						
	Combustible Matter	gm2/mth	monthly	0.1		no	29/01/19	7/02/19						
Report No : 7430														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	21/05/19	23/04/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	21/05/19	23/04/19						
	Combustible Matter	gm2/mth	monthly	0.4		no	21/05/19	23/04/19						
Point 7	Insoluble Solids	gm2/mth	monthly	1.6	4.0	no	21/05/19	23/04/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		no	21/05/19	23/04/19						
	Combustible Matter	gm2/mth	monthly	0.6		no	21/05/19	23/04/19						

Report No : 7598														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	18/06/19	26/06/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		no	18/06/19	26/06/19						
	Combustible Matter	gm2/mth	monthly	0.1		no	18/06/19	26/06/19						
Point 7	Insoluble Solids	gm2/mth	monthly	2.2	4.0	no	18/06/19	26/06/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.8		no	18/06/19	26/06/19						
	Combustible Matter	gm2/mth	monthly	0.4		no	18/06/19	26/06/19						
Report No : 7710														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	16/07/19	24/07/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.2		no	16/07/19	24/07/19						
	Combustible Matter	gm2/mth	monthly	0.2		no	16/07/19	24/07/19						
Point 7	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	16/07/19	24/07/19						
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.6		no	16/07/19	24/07/19						
	Combustible Matter	gm2/mth	monthly	0.1		no	16/07/19	24/07/19						
Report No : 7828														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1	4.0	no	13/08/19							
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	13/08/19							
	Combustible Matter	gm2/mth	monthly	0.6		no	13/08/19							
Point 7	Insoluble Solids	gm2/mth	monthly	1		no	13/08/19							
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		no	13/08/19							
	Combustible Matter	gm2/mth	monthly	<0.1		no	13/08/19							
Report No : 7987														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	10/09/19							
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		no	10/09/19							

	Combustible Matter	gm2/mth	monthly	0.2		no	10/09/19							
Point 7	Insoluble Solids	gm2/mth	monthly	1.5	4.0	no	10/09/19							
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.2		no	10/09/19							
	Combustible Matter	gm2/mth	monthly	0.3		no	10/09/19							
Report No : 8124														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	8/10/19							
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		no	8/10/19							
	Combustible Matter	gm2/mth	monthly	0.5		no	8/10/19							
Point 7	Insoluble Solids	gm2/mth	monthly	1.6	4.0	no	8/10/19							
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.1		no	8/10/19							
	Combustible Matter	gm2/mth	monthly	0.5		no	8/10/19							
Report No : 8258														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	2	4.0	no	5/11/19							
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.6		no	5/11/19							
	Combustible Matter	gm2/mth	monthly	0.4		no	5/11/19							
Point 7	Insoluble Solids	gm2/mth	monthly	2.5	4.0	no	5/11/19							
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.1		no	5/11/19							
	Combustible Matter	gm2/mth	monthly	0.4		no	5/11/19							
Report No : 8355														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	2.2	4.0	no	3/12/19							
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.7		no	3/12/19							
	Combustible Matter	gm2/mth	monthly	0.5		no	3/12/19							
Point 7	Insoluble Solids	gm2/mth	monthly	3.6	4.0	no	3/12/19							
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.7		no	3/12/19							
	Combustible Matter	gm2/mth	monthly	0.9		no	3/12/19							
Report No : 8537														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					

[illegible]

Point 7	Insoluble Solids	gm2/mth	monthly	1.1	4.0	no	21/04/20		28/04/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		no	21/04/20		28/04/20					
	Combustible Matter	gm2/mth	monthly	0.4		no	21/04/20		28/04/20					
Report No : 9018														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	19/05/20							
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.2		no	19/05/20							
	Combustible Matter	gm2/mth	monthly	0.2		no	19/05/20							
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	19/05/20							
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		no	19/05/20							
	Combustible Matter	gm2/mth	monthly	0.3		no	19/05/20							
Report No : 9147														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	no	16/06/20		23/06/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	16/06/20		23/06/20					
	Combustible Matter	gm2/mth	monthly	0.3		no	16/06/20		23/06/20					
Point 7	Insoluble Solids	gm2/mth	monthly	2.6	4.0	no	16/06/20		23/06/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.4		no	16/06/20		23/06/20					
	Combustible Matter	gm2/mth	monthly	1.2		no	16/06/20		23/06/20					
Report No : 9324														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	15/07/20		20/07/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.3		no	15/07/20		20/07/20					
	Combustible Matter	gm2/mth	monthly	0.1		no	15/07/20		20/07/20					
Point 7	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	15/07/20		20/07/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		no	15/07/20		20/07/20					
	Combustible Matter	gm2/mth	monthly	0.3		no	15/07/20		20/07/20					
Report No : 9468														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					

Point 6	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	11/08/20		18/08/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		no	11/08/20		18/08/20					
	Combustible Matter	gm2/mth	monthly	0.1		no	11/08/20		18/08/20					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	no	11/08/20		18/08/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		no	11/08/20		18/08/20					
	Combustible Matter	gm2/mth	monthly	0.2		no	11/08/20		18/08/20					
Report No : 9620														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	8/09/20		14/09/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		no	8/09/20		14/09/20					
	Combustible Matter	gm2/mth	monthly	0.3		no	8/09/20		14/09/20					
Point 7	Insoluble Solids	gm2/mth	monthly	1.6	4.0	no	8/09/20		14/09/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.2		no	8/09/20		14/09/20					
	Combustible Matter	gm2/mth	monthly	0.4		no	8/09/20		14/09/20					
Report No : 9746														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	no	6/10/20		12/10/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		no	6/10/20		12/10/20					
	Combustible Matter	gm2/mth	monthly	<0.1		no	6/10/20		12/10/20					
Point 7	Insoluble Solids	gm2/mth	monthly	0.8	4.0	no	6/10/20		12/10/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		no	6/10/20		12/10/20					
	Combustible Matter	gm2/mth	monthly	0.1		no	6/10/20		12/10/20					
Report No : 9862														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.5	4.0	no	3/11/20		10/11/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		no	3/11/20		10/11/20					
	Combustible Matter	gm2/mth	monthly	0.7		no	3/11/20		10/11/20					
Point 7	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	3/11/20		10/11/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		no	3/11/20		10/11/20					

	Combustible Matter	gm2/mth	monthly	0.4		no	3/11/20		10/11/20					
Report No : 10009														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.9	4.0	no	1/12/20		9/12/20					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.4		no	1/12/20		9/12/20					
	Combustible Matter	gm2/mth	monthly	0.5		no	1/12/20		9/12/20					
Point 7	Insoluble Solids	gm2/mth	monthly	1.8	4.0	no	1/12/20		9/12/20					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.6		no	1/12/20		9/12/20					
	Combustible Matter	gm2/mth	monthly	0.2		no	1/12/20		9/12/20					
Report No : 10133														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	2.7	4.0	no	29/12/20		8/01/21					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.8		no	29/12/20		8/01/21					
	Combustible Matter	gm2/mth	monthly	0.9		no	29/12/20		8/01/21					
Point 7	Insoluble Solids	gm2/mth	monthly	1.3	4.0	no	29/12/20		8/01/21					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.2		no	29/12/20		8/01/21					
	Combustible Matter	gm2/mth	monthly	0.1		no	29/12/20		8/01/21					
Report No : 10306														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.6	4.0	No	26/01/21		29/01/21					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.9		No	26/01/21		29/01/21					
	Combustible Matter	gm2/mth	monthly	0.7		No	26/01/21		29/01/21					
Point 7	Insoluble Solids	gm2/mth	monthly	1.5	4.0	No	26/01/21		29/01/21					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		No	26/01/21		29/01/21					
	Combustible Matter	gm2/mth	monthly	0.5		No	26/01/21		29/01/21					
Report No : 10406														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	23/02/21		3/03/21					

[illegible]

Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	15/06/21		21/06/21					
	Ash	gm2/mth	monthly	0.5		No	15/06/21		21/06/21					
	Combustible Matter	gm2/mth	monthly	0.3		No	15/06/21		21/06/21					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.4	4.0	No	15/06/21		21/06/21					
	Ash	gm2/mth	monthly	1.3		No	15/06/21		21/06/21					
	Combustible Matter	gm2/mth	monthly	0.1		No	15/06/21		21/06/21					
Report No : 11303														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.4	4.0	No	24/08/21		31/08/21					
	Ash	gm2/mth	monthly	0.2		No	24/08/21		31/08/21					
	Combustible Matter	gm2/mth	monthly	0.2		No	24/08/21		31/08/21					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	24/08/21		31/08/21					
	Ash	gm2/mth	monthly	0.8		No	24/08/21		31/08/21					
	Combustible Matter	gm2/mth	monthly	0.1		No	24/08/21		31/08/21					
Report No : 11411														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1	4.0	No	7/09/21		19/09/21					
	Ash	gm2/mth	monthly	0.5		No	7/09/21		19/09/21					
	Combustible Matter	gm2/mth	monthly	0.5		No	7/09/21		19/09/21					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.7	4.0	No	7/09/21		19/09/21					
	Ash	gm2/mth	monthly	1.4		No	7/09/21		19/09/21					
	Combustible Matter	gm2/mth	monthly	0.3		No	7/09/21		19/09/21					
Report No : 11786														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	31/11/21		8/12/21					
	Ash	gm2/mth	monthly	0.6		No	31/11/21		8/12/21					
	Combustible Matter	gm2/mth	monthly	0.7		No	31/11/21		8/12/21					

Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	31/11/21		8/12/21					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.8		No	31/11/21		8/12/21					
	Combustible Matter	gm2/mth	monthly	0.4		No	31/11/21		8/12/21					
Report No : 12054														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.8	4.0	No	28/12/21		13/01/22					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		No	28/12/21		13/01/22					
	Combustible Matter	gm2/mth	monthly	1		No	28/12/21		13/01/22					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	28/12/21		13/01/22					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.8		No	28/12/21		13/01/22					
	Combustible Matter	gm2/mth	monthly	0.4		No	28/12/21		13/01/22					
Report No : 12170														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	25/01/22		3/02/22					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		No	25/01/22		3/02/22					
	Combustible Matter	gm2/mth	monthly	0.4		No	25/01/22		3/02/22					
Point 7	Insoluble Solids	gm2/mth	monthly	0.5	4.0	No	25/01/22		3/02/22					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.3		No	25/01/22		3/02/22					
	Combustible Matter	gm2/mth	monthly	0.2		No	25/01/22		3/02/22					
Report No : 12272														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	22/02/22		25/02/22					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		No	22/02/22		25/02/22					
	Combustible Matter	gm2/mth	monthly	0.6		No	22/02/22		25/02/22					
Point 7	Insoluble Solids	gm2/mth	monthly	1.4	4.0	No	22/02/22		25/02/22					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		No	22/02/22		25/02/22					
	Combustible Matter	gm2/mth	monthly	0.3		No	22/02/22		25/02/22					
Report No : 12453														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no			NA					

	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.3	4.0	No	22/03/22		30/03/22					
	Ash	gm2/mth	monthly	0.1		No	22/03/22		30/03/22					
	Combustible Matter	gm2/mth	monthly	0.2		No	22/02/22		25/02/22					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.1	4.0	No	22/03/22		30/03/22					
	Ash	gm2/mth	monthly	0.1		No	22/03/22		30/03/22					
	Combustible Matter	gm2/mth	monthly	0.1		No	22/03/22		30/03/22					
Report No : 12669														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	21/04/22		27/04/22					
	Ash	gm2/mth	monthly	0.3		No	21/04/22		27/04/22					
	Combustible Matter	gm2/mth	monthly	0.4		No	21/04/22		27/04/22					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	21/04/22		27/04/22					
	Ash	gm2/mth	monthly	0.4		No	21/04/22		27/04/22					
	Combustible Matter	gm2/mth	monthly	0.3		No	21/04/22		27/04/22					
Report No : 12804														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.9	4.0	No	24/05/22		26/05/22					
	Ash	gm2/mth	monthly	1.1		No	24/05/22		26/05/22					
	Combustible Matter	gm2/mth	monthly	0.8		No	24/05/22		26/05/22					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.1	4.0	No	24/05/22		26/05/22					
	Ash	gm2/mth	monthly	0.7		No	24/05/22		26/05/22					
	Combustible Matter	gm2/mth	monthly	0.4		No	24/05/22		26/05/22					
Report No :														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.5	4.0	No	14/06/22		23/06/22					
	Ash	gm2/mth	monthly	0.3		No	14/06/22		23/06/22					
	Combustible Matter	gm2/mth	monthly	0.2		No	14/06/22		23/06/22					
Point 7	Insoluble Solids	gm2/mth	monthly	0.5	4.0	No	14/06/22		23/06/22					

Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.4		No	14/06/22		23/06/22					
	Combustible Matter	gm2/mth	monthly	0.1		No	14/06/22		23/06/22					
	Calculated Rain	mm	monthly	29		N/A	14/06/22		23/06/22					
Report No : 13125														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no			NA					
	Ash	gm2/mth	monthly			no			NA					
	Combustible Matter	gm2/mth	monthly			no			NA					
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	12/07/22		19/07/22					
	Ash	gm2/mth	monthly	0.7		No	12/07/22		19/07/22					
	Combustible Matter	gm2/mth	monthly	0.2		No	12/07/22		19/07/22					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1	4.0	No	12/07/22		19/07/22					
	Ash	gm2/mth	monthly	0.8		No	12/07/22		19/07/22					
	Combustible Matter	gm2/mth	monthly	0.2		No	12/07/22		19/07/22					
	Calculated Rain	mm	monthly	115		N/A	12/07/22		19/07/22					
Report No : 13267														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	9/08/22		16/08/22					
	Ash	gm2/mth	monthly	0.2		No	9/08/22		16/08/22					
	Combustible Matter	gm2/mth	monthly	6		No	9/08/22		16/08/22					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	9/08/22		16/08/22					
	Ash	gm2/mth	monthly	0.4		No	9/08/22		16/08/22					
	Combustible Matter	gm2/mth	monthly	0.4		No	9/08/22		16/08/22					
	Calculated Rain	mm	monthly	24		N/A	9/08/22		16/08/22					
Report No : 13395														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	12/09/22		14/09/22					
	Ash	gm2/mth	monthly	0.4		No	12/09/22		14/09/22					
	Combustible Matter	gm2/mth	monthly	0.3		No	12/09/22		14/09/22					
	Calculated Rain	mm	monthly	39		N/A	12/09/22		14/09/22					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.4	4.0	No	12/09/22		14/09/22					
	Ash	gm2/mth	monthly	0.4		No	12/09/22		14/09/22					
	Combustible Matter	gm2/mth	monthly	0.4		No	12/09/22		14/09/22					
	Calculated Rain	mm	monthly	35		N/A	12/09/22		14/09/22					
Report No : 13588														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								

[illegible]

Point 6	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	3/01/23		11/01/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		No	3/01/23		11/01/23					
	Combustible Matter	gm2/mth	monthly	0.3		No	3/01/23		11/01/23					
	Calculated Rain	mm	monthly	9		N/A	3/01/23		11/01/23					
Point 7	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	3/01/23		11/01/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.6		No	3/01/23		11/01/23					
	Combustible Matter	gm2/mth	monthly	0.2		No	3/01/23		11/01/23					
	Calculated Rain	mm	monthly	11		N/A	3/01/23		11/01/23					
Report No : 14120														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.7	4.0	No	3/02/23		7/02/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.3		No	3/02/23		7/02/23					
	Combustible Matter	gm2/mth	monthly	0.4		No	3/02/23		7/02/23					
	Calculated Rain	mm	monthly	115		N/A	3/02/23		7/02/23					
Point 7	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	3/02/23		7/02/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.6		No	3/02/23		7/02/23					
	Combustible Matter	gm2/mth	monthly	0.2		No	3/02/23		7/02/23					
	Calculated Rain	mm	monthly	116		N/A	3/02/23		7/02/23					
Report No : 14241														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.5	4.0	No	2/03/23		8/03/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		No	2/03/23		8/03/23					
	Combustible Matter	gm2/mth	monthly	0.1		No	2/03/23		8/03/23					
	Calculated Rain	mm	monthly	64		N/A	2/03/23		8/03/23					
Point 7	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	2/03/23		8/03/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		No	2/03/23		8/03/23					
	Combustible Matter	gm2/mth	monthly	0.1		No	2/03/23		8/03/23					
	Calculated Rain	mm	monthly	68		N/A	2/03/23		8/03/23					
Report No : 14374														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	28/03/23		5/04/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		No	28/03/23		5/04/23					
	Combustible Matter	gm2/mth	monthly	0.6		No	28/03/23		5/04/23					

	Calculated Rain	mm	monthly	48		N/A	28/03/23		5/04/23					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	28/03/23		5/04/23					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.8		No	28/03/23		5/04/23					
	Combustible Matter	gm2/mth	monthly	0.4		No	28/03/23		5/04/23					
	Calculated Rain	mm	monthly	41		N/A	28/03/23		5/04/23					
Report No : 14709														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.3	4.0	No	20/06/23		28/06/23					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.2		No	20/06/23		28/06/23					
	Combustible Matter	gm2/mth	monthly	0.1		No	20/06/23		28/06/23					
	Calculated Rain	mm	monthly	7		N/A	20/06/23		28/06/23					
Point 7	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	20/06/23		28/06/23					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		No	20/06/23		28/06/23					
	Combustible Matter	gm2/mth	monthly	0.3		No	20/06/23		28/06/23					
	Calculated Rain	mm	monthly	7		N/A	20/06/23		28/06/23					
Report No : 14872														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	No	20/07/23		21/07/23					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.2		No	20/07/23		21/07/23					
	Combustible Matter	gm2/mth	monthly	0.2		No	20/07/23		21/07/23					
	Calculated Rain	mm	monthly	21		N/A	20/07/23		21/07/23					
Point 7	Insoluble Solids	gm2/mth	monthly	1.9	4.0	No	20/07/23		21/07/23					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.6		No	20/07/23		21/07/23					
	Combustible Matter	gm2/mth	monthly	0.3		No	20/07/23		21/07/23					
	Calculated Rain	mm	monthly	21		N/A	20/07/23		21/07/23					
Report No : 14953														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.4	4.0	No	21/08/23		23/08/23					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.3		No	21/08/23		23/08/23					
	Combustible Matter	gm2/mth	monthly	0.1		No	21/08/23		23/08/23					
	Calculated Rain	mm	monthly	27		N/A	21/08/23		23/08/23					
Point 7	Insoluble Solids	gm2/mth	monthly	2.4	4.0	No	21/08/23		23/08/23					

Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	2.2		No	21/08/23		23/08/23					
	Combustible Matter	gm2/mth	monthly	0.2		No	21/08/23		23/08/23					
	Calculated Rain	mm	monthly	28		N/A	21/08/23		23/08/23					
Report No : 15081														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.3	4.0	No	15/09/23		19/09/23					
	Ash	gm2/mth	monthly	0.2		No	15/09/23		19/09/23					
	Combustible Matter	gm2/mth	monthly	0.1		No	15/09/23		19/09/23					
	Calculated Rain	mm	monthly	25		N/A	15/09/23		19/09/23					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.6	4.0	No	15/09/23		19/09/23					
	Ash	gm2/mth	monthly	0.6		No	15/09/23		19/09/23					
	Combustible Matter	gm2/mth	monthly	0.1		No	15/09/23		19/09/23					
	Calculated Rain	mm	monthly	24		N/A	15/09/23		19/09/23					
Report No : 15179														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	17/10/23		19/10/23					
	Ash	gm2/mth	monthly	0.4		No	17/10/23		19/10/23					
	Combustible Matter	gm2/mth	monthly	0.3		No	17/10/23		19/10/23					
	Calculated Rain	mm	monthly	25		N/A	17/10/23		19/10/23					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	17/10/23		19/10/23					
	Ash	gm2/mth	monthly	1		No	17/10/23		19/10/23					
	Combustible Matter	gm2/mth	monthly	0.3		No	17/10/23		19/10/23					
	Calculated Rain	mm	monthly	25		N/A	17/10/23		19/10/23					
Report No : 15300														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.1	4.0	No	7/11/23		13/11/23					
	Ash	gm2/mth	monthly	0.8		No	7/11/23		13/11/23					
	Combustible Matter	gm2/mth	monthly	0.3		No	7/11/23		13/11/23					
	Calculated Rain	mm	monthly	48		N/A	7/11/23		13/11/23					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	7/11/23		13/11/23					
	Ash	gm2/mth	monthly	0.6		No	7/11/23		13/11/23					
	Combustible Matter	gm2/mth	monthly	0.2		No	7/11/23		13/11/23					
	Calculated Rain	mm	monthly	54		N/A	7/11/23		13/11/23					

Report No : 15425														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	2	4.0	No	5/12/23		13/12/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.9		No	5/12/23		13/12/23					
	Combustible Matter	gm2/mth	monthly	1.1		No	5/12/23		13/12/23					
	Calculated Rain	mm	monthly	56		N/A	5/12/23		13/12/23					
Point 7	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	5/12/23		13/12/23					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.5		No	5/12/23		13/12/23					
	Combustible Matter	gm2/mth	monthly	0.2		No	5/12/23		13/12/23					
	Calculated Rain	mm	monthly	51		N/A	5/12/23		13/12/23					
Report No : 15526														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.8	4.0	No	2/01/24		12/01/24					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.8		No	2/01/24		12/01/24					
	Combustible Matter	gm2/mth	monthly	1		No	2/01/24		12/01/24					
	Calculated Rain	mm	monthly	70		N/A	2/01/24		12/01/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	2/01/24		12/01/24					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		No	2/01/24		12/01/24					
	Combustible Matter	gm2/mth	monthly	0.3		No	2/01/24		12/01/24					
	Calculated Rain	mm	monthly	78		N/A	2/01/24		12/01/24					
Report No : 15637														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	30/01/24		5/02/24					
Schofields Clay Quarry														
Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		No	30/01/24		5/02/24					
	Combustible Matter	gm2/mth	monthly	0.7		No	30/01/24		5/02/24					
	Calculated Rain	mm	monthly	115		N/A	30/01/24		5/02/24					
Point 7	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	30/01/24		5/02/24					
Schofields Clay Quarry														
Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.8		No	30/01/24		5/02/24					
	Combustible Matter	gm2/mth	monthly	0.1		No	30/01/24		5/02/24					
	Calculated Rain	mm	monthly	115		N/A	30/01/24		5/02/24					
Report No : 15731														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry														
Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								

	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	27/02/24		7/03/24					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		No	27/02/24		7/03/24					
	Combustible Matter	gm2/mth	monthly	0.2		No	27/02/24		7/03/24					
	Calculated Rain	mm	monthly	81		N/A	27/02/24		7/03/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1	4.0	No	27/02/24		7/03/24					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		No	27/02/24		7/03/24					
	Combustible Matter	gm2/mth	monthly	0.3		No	27/02/24		7/03/24					
	Calculated Rain	mm	monthly	83		N/A	27/02/24		7/03/24					
Report No : 15886														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	2/04/24		4/04/24					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		No	2/04/24		4/04/24					
	Combustible Matter	gm2/mth	monthly	0.2		No	2/04/24		4/04/24					
	Calculated Rain	mm	monthly	21		N/A	2/04/24		4/04/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	2/04/24		4/04/24					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.2		No	2/04/24		4/04/24					
	Combustible Matter	gm2/mth	monthly	0.1		No	2/04/24		4/04/24					
	Calculated Rain	mm	monthly	21		N/A	2/04/24		4/04/24					
Report No : 16009														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.1	4.0	No	23/04/24		30/04/24					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		No	23/04/24		30/04/24					
	Combustible Matter	gm2/mth	monthly	0.6		No	23/04/24		30/04/24					
	Calculated Rain	mm	monthly	115		N/A	23/04/24		30/04/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1.4	4.0	No	23/04/24		30/04/24					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.1		No	23/04/24		30/04/24					
	Combustible Matter	gm2/mth	monthly	0.3		No	23/04/24		30/04/24					
	Calculated Rain	mm	monthly	114		N/A	23/04/24		30/04/24					
Report No : 16150														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	21/05/24		30/05/24					


Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		No	21/05/24		30/05/24					
	Combustible Matter	gm2/mth	monthly	0.3		No	21/05/24		30/05/24					
	Calculated Rain	mm	monthly	96		N/A	21/05/24		30/05/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1.1	4.0	No	21/05/24		30/05/24					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		No	21/05/24		30/05/24					
	Combustible Matter	gm2/mth	monthly	0.4		No	21/05/24		30/05/24					
	Calculated Rain	mm	monthly	99		N/A	21/05/24		30/05/24					
Report No : 17022														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	8/11/24		12/11/24					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.4		No	8/11/24		12/11/24					
	Combustible Matter	gm2/mth	monthly	0.3		No	8/11/24		12/11/24					
	Calculated Rain	mm	monthly	52		N/A	8/11/24		12/11/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	8/11/24		12/11/24					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		No	8/11/24		12/11/24					
	Combustible Matter	gm2/mth	monthly	0.3		No	8/11/24		12/11/24					
	Calculated Rain	mm	monthly	61		N/A	8/11/24		12/11/24					
Report No : 17138														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	6/12/24		10/12/24					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		No	6/12/24		10/12/24					
	Combustible Matter	gm2/mth	monthly	0.5		No	6/12/24		10/12/24					
	Calculated Rain	mm	monthly	38		N/A	6/12/24		10/12/24					
Point 7	Insoluble Solids	gm2/mth	monthly	1.4	4.0	No	6/12/24		10/12/24					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.9		No	6/12/24		10/12/24					
	Combustible Matter	gm2/mth	monthly	0.5		No	6/12/24		10/12/24					
	Calculated Rain	mm	monthly	41		N/A	6/12/24		10/12/24					
Report No : 17266														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	31/12/24		9/01/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		No	31/12/24		9/01/25					
	Combustible Matter	gm2/mth	monthly	0.7		No	31/12/24		9/01/25					
	Calculated Rain	mm	monthly	36		N/A	31/12/24		9/01/25					

Point 7	Insoluble Solids	gm2/mth	monthly	1	4.0	No	31/12/24		9/01/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		No	31/12/24		9/01/25					
	Combustible Matter	gm2/mth	monthly	0.3		No	31/12/24		9/01/25					
	Calculated Rain	mm	monthly	30		N/A	31/12/24		9/01/25					
Report No : 17390														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.8	4.0	No	31/01/25		4/02/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		No	31/01/25		4/02/25					
	Combustible Matter	gm2/mth	monthly	1		No	31/01/25		4/02/25					
	Calculated Rain	mm	monthly	96		N/A	31/01/25		4/02/25					
Point 7	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	31/01/25		4/02/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		No	31/01/25		4/02/25					
	Combustible Matter	gm2/mth	monthly	0.5		No	31/01/25		4/02/25					
	Calculated Rain	mm	monthly	114		N/A	31/01/25		4/02/25					
Report No : 17566														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	4/03/25		5/03/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.6		No	4/03/25		5/03/25					
	Combustible Matter	gm2/mth	monthly	0.6		No	4/03/25		5/03/25					
	Calculated Rain	mm	monthly	115		N/A	4/03/25		5/03/25					
Point 7	Insoluble Solids	gm2/mth	monthly	0.8	4.0	No	4/03/25		5/03/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.5		No	4/03/25		5/03/25					
	Combustible Matter	gm2/mth	monthly	0.3		No	4/03/25		5/03/25					
	Calculated Rain	mm	monthly	114		N/A	4/03/25		5/03/25					
Report No : 17682														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	2.7	4.0	No	25/03/25		3/04/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.4		No	25/03/25		3/04/25					
	Combustible Matter	gm2/mth	monthly	1.3		No	25/03/25		3/04/25					
	Calculated Rain	mm	monthly	52		N/A	25/03/25		3/04/25					
Point 7	Insoluble Solids	gm2/mth	monthly	1	4.0	No	25/03/25		3/04/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.6		No	25/03/25		3/04/25					

	Combustible Matter	gm2/mth	monthly	4		No	25/03/25		3/04/25					
	Calculated Rain	mm	monthly	55		N/A	25/03/25		3/04/25					
Report No : 18030														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	27/05/25		28/05/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.7		No	27/05/25		28/05/25					
	Combustible Matter	gm2/mth	monthly	0.5		No	27/05/25		28/05/25					
	Calculated Rain	mm	monthly	98		N/A	27/05/25		28/05/25					
Point 7	Insoluble Solids	gm2/mth	monthly	1	4.0	No	27/05/25		28/05/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.5		No	27/05/25		28/05/25					
	Combustible Matter	gm2/mth	monthly	0.5		No	27/05/25		28/05/25					
	Calculated Rain	mm	monthly	112		N/A	27/05/25		28/05/25					
Report No : 18223														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	1.1	4.0	No	17/06/25		25/06/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		No	17/06/25		25/06/25					
	Combustible Matter	gm2/mth	monthly	0.6		No	17/06/25		25/06/25					
	Calculated Rain	mm	monthly	116		N/A	17/06/25		25/06/25					
Point 7	Insoluble Solids	gm2/mth	monthly	0.9	4.0	No	17/06/25		25/06/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.6		No	17/06/25		25/06/25					
	Combustible Matter	gm2/mth	monthly	0.3		No	17/06/25		25/06/25					
	Calculated Rain	mm	monthly	115		N/A	17/06/25		25/06/25					
Report No : 18383														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								
Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6	Insoluble Solids	gm2/mth	monthly	0.7	4.0	No	15/07/25		23/07/25					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.5		No	15/07/25		23/07/25					
	Combustible Matter	gm2/mth	monthly	0.2		No	15/07/25		23/07/25					
	Calculated Rain	mm	monthly	63		N/A	15/07/25		23/07/25					
Point 7	Insoluble Solids	gm2/mth	monthly	1	4.0	No	15/07/25		23/07/25					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.7		No	15/07/25		23/07/25					
	Combustible Matter	gm2/mth	monthly	0.3		No	15/07/25		23/07/25					
	Calculated Rain	mm	monthly	67		N/A	15/07/25		23/07/25					
Report No : 18741														
Point 5	Insoluble Solids	gm2/mth	monthly		4.0	no								

Schofields Clay Quarry Location of Dust Monitoring SC1	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	0.6	4.0	No	11/09/25		17/09/25					
	Ash	gm2/mth	monthly	0.4		No	11/09/25		17/09/25					
	Combustible Matter	gm2/mth	monthly	0.2		No	11/09/25		17/09/25					
	Calculated Rain	mm	monthly	73		N/A	11/09/25		17/09/25					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	1.1	4.0	No	11/09/25		17/09/25					
	Ash	gm2/mth	monthly	0.8		No	11/09/25		17/09/25					
	Combustible Matter	gm2/mth	monthly	0.3		No	11/09/25		17/09/25					
	Calculated Rain	mm	monthly	80		N/A	11/09/25		17/09/25					
Report No : 19137														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.9	4.0	No	4/12/25		9/12/25					
	Ash	gm2/mth	monthly	0.8		No	4/12/25		9/12/25					
	Combustible Matter	gm2/mth	monthly	1.1		No	4/12/25		9/12/25					
	Calculated Rain	mm	monthly	18		N/A	4/12/25		9/12/25					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	2.3	4.0	No	4/12/25		9/12/25					
	Ash	gm2/mth	monthly	1.7		No	4/12/25		9/12/25					
	Combustible Matter	gm2/mth	monthly	0.6		No	4/12/25		9/12/25					
	Calculated Rain	mm	monthly	16		N/A	4/12/25		9/12/25					
Report No : 19264														
Point 5 Schofields Clay Quarry Location of Dust Monitoring SC1	Insoluble Solids	gm2/mth	monthly		4.0	no								
	Ash	gm2/mth	monthly			no								
	Combustible Matter	gm2/mth	monthly			no								
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	2.9	4.0	No	7/01/26		9/01/26					
	Ash	gm2/mth	monthly	1.5		No	7/01/26		9/01/26					
	Combustible Matter	gm2/mth	monthly	1.4		No	7/01/26		9/01/26					
	Calculated Rain	mm	monthly	46		N/A	7/01/26		9/01/26					
Point 7 Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Insoluble Solids	gm2/mth	monthly	2.1	4.0	No	7/01/26		9/01/26					
	Ash	gm2/mth	monthly	1.4		No	7/01/26		9/01/26					
	Combustible Matter	gm2/mth	monthly	0.7		No	7/01/26		9/01/26					
	Calculated Rain	mm	monthly	53		N/A	7/01/26		9/01/26					
Report No : 19502														
Point 6 Schofields Clay Quarry Location of Dust Monitoring SC2	Insoluble Solids	gm2/mth	monthly	1.2	4.0	No	24/02/26		26/02/26					
	Ash	gm2/mth	monthly	0.8		No	24/02/26		26/02/26					
	Combustible Matter	gm2/mth	monthly	0.4		No	24/02/26		26/02/26					
	Calculated Rain	mm	monthly	38		N/A	24/02/26		26/02/26					

Point 7	Insoluble Solids	gm2/mth	monthly	1.3	4.0	No	24/02/26		26/02/26					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1		No	24/02/26		26/02/26					
	Combustible Matter	gm2/mth	monthly	0.3		No	24/02/26		26/02/26					
	Calculated Rain	mm	monthly	41		N/A	24/02/26		26/02/26					
Report No : 19502														
Point 6	Insoluble Solids	gm2/mth	monthly	0.5	4.0	No	24/03/26		30/03/26					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	0.2		No	24/03/26		30/03/26					
	Combustible Matter	gm2/mth	monthly	0.3		No	24/03/26		30/03/26					
	Calculated Rain	mm	monthly	115		N/A	24/03/26		30/03/26					
Point 7	Insoluble Solids	gm2/mth	monthly	0.5	4.0	No	24/03/26		30/03/26					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	0.2		No	24/03/26		30/03/26					
	Combustible Matter	gm2/mth	monthly	0.3		No	24/03/26		30/03/26					
	Calculated Rain	mm	monthly	115		N/A	24/03/26		30/03/26					
Report No : 19855														
Point 6	Insoluble Solids	gm2/mth	monthly	1.8	4.0	No	21/04/26		5/05/26					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1.1		No	21/04/26		5/05/26					
	Combustible Matter	gm2/mth	monthly	0.7		No	21/04/26		5/05/26					
	Calculated Rain	mm	monthly	12		N/A	21/04/26		5/05/26					
Point 7	Insoluble Solids	gm2/mth	monthly	1.5	4.0	No	21/04/26		5/05/26					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.1		No	21/04/26		5/05/26					
	Combustible Matter	gm2/mth	monthly	0.4		No	21/04/26		5/05/26					
	Calculated Rain	mm	monthly	12		N/A	21/04/26		5/05/26					
Report No : 19957														
Point 6	Insoluble Solids	gm2/mth	monthly	1.6	4.0	No	19/05/26		2/06/26					
Schofields Clay Quarry Location of Dust Monitoring SC2	Ash	gm2/mth	monthly	1		No	19/05/26		2/06/26					
	Combustible Matter	gm2/mth	monthly	0.6		No	19/05/26		2/06/26					
	Calculated Rain	mm	monthly	34		N/A	19/05/26		2/06/26					
Point 7	Insoluble Solids	gm2/mth	monthly	1.4	4.0	No	19/05/26		2/06/26					
Schofields Clay Quarry Location of Dust Monitoring SC3 brickyard	Ash	gm2/mth	monthly	1.1		No	19/05/26		2/06/26					
	Combustible Matter	gm2/mth	monthly	0.3		No	19/05/26		2/06/26					
	Calculated Rain	mm	monthly	35		N/A	19/05/26		2/06/26					





© 2010
© SensiFly Ltd
0.71°E elev 127 ft

Google

Eye alt 4869 ft