

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 1 located north west of quarry. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:		12	
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1	0.6		23/11/21	9/12/21	2022
Canyonleigh Gauge MP1	9.7		22/12/21	19/01/22	2022
Canyonleigh Gauge MP1	0.9		28/01/22	18/02/22	2022
Canyonleigh Gauge MP1	1.3		26/02/22	10/03/22	2022
Canyonleigh Gauge MP1	0.2		28/03/22	5/04/22	2022
Canyonleigh Gauge MP1	0.6		20/04/22	4/05/22	2022
Canyonleigh Gauge MP1	0.5		20/05/22	2/06/22	2022
Canyonleigh Gauge MP1					2022
Number of Samples	7				2022
Lowest Sample	0.2				2022
Mean of Sample	2.0				2022
Highest Sample	9.7				2022
Canyonleigh Gauge MP1	1.0		20/06/22	29/06/22	2023
Canyonleigh Gauge MP1	0.7		18/07/22	26/07/22	2023
Canyonleigh Gauge MP1	0.6		15/08/22	30/08/22	2023
Canyonleigh Gauge MP1	0.3		12/09/22	27/09/22	2023
Canyonleigh Gauge MP1	0.4		10/10/22	17/10/22	2023
Canyonleigh Gauge MP1	2.2		7/11/22	16/11/22	2023
Canyonleigh Gauge MP1	2.6		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1	1.2		5/01/23	20/01/23	2023
Canyonleigh Gauge MP1	0.7		2/02/23	20/02/23	2023
Canyonleigh Gauge MP1	0.6		4/03/23	5/04/23	2023
Canyonleigh Gauge MP1	0.6		5/04/23	4/05/23	2023
Canyonleigh Gauge MP1	0.8		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.3				2023
Mean of Sample	1.0				2023
Highest Sample	2.6				2023
Canyonleigh Gauge MP1	0.5		5/06/23	28/06/23	2024
Canyonleigh Gauge MP1	1.0		4/07/23	24/07/23	2024
Canyonleigh Gauge MP1	1.4		11/08/23	23/08/23	2024
Canyonleigh Gauge MP1	1		14/09/23	5/10/23	2024
Canyonleigh Gauge MP1	1.2		16/10/23	13/11/23	2024
Canyonleigh Gauge MP1	1.1		16/11/23	15/12/23	2024
Canyonleigh Gauge MP1	1		15/12/23	7/02/24	2024
Canyonleigh Gauge MP1	3.4		15/01/24	7/02/24	2024
Canyonleigh Gauge MP1	2.1		14/02/24	28/02/24	2024
Canyonleigh Gauge MP1	2.3		15/03/24	5/04/24	2024
Canyonleigh Gauge MP1	2		16/04/24	27/05/24	2024
Canyonleigh Gauge MP1	0.6		20/05/24	18/06/24	2024
Canyonleigh Gauge MP1	0.4		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.4				2024
Mean of Sample	1.4				2024
Highest Sample	3.4				2024
Canyonleigh Gauge MP1	<0.1		25/07/24	21/08/24	2025
Canyonleigh Gauge MP1	1.6		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1	1		27/09/24	9/10/24	2025
Canyonleigh Gauge MP1	1.1		26/11/24	10/12/24	2025
Canyonleigh Gauge MP1	3.4		27/12/24	7/02/25	2025
Canyonleigh Gauge MP1	2.1		24/01/25	7/02/25	2025
Canyonleigh Gauge MP1	1.1		24/02/25	4/04/25	2025
Canyonleigh Gauge MP1	1.8		25/03/25	2/05/25	2025
Canyonleigh Gauge MP1	0.3		23/04/25	2/05/25	2025
Canyonleigh Gauge MP1	1.1		21/05/25	28/05/25	2025
Canyonleigh Gauge MP1	0.6		18/06/25	23/07/25	2025
Canyonleigh Gauge MP1	0.8		24/07/25	7/08/25	2025
Canyonleigh Gauge MP1	0.5		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0				2025
Mean of Sample	1.2				2025
Highest Sample	3.4				2025
Canyonleigh Gauge MP1	0.9		24/09/25	3/10/25	2026
Canyonleigh Gauge MP1	1.6		25/10/25	5/11/25	2026
Canyonleigh Gauge MP1	3.1	Spikes Missing. Lots of bird poo.	27/11/25	16/12/25	2026
Canyonleigh Gauge MP1	1.4		7/01/26	2/02/26	2026
Canyonleigh Gauge MP1	2.6	Leaves in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP1	0.7	Bird droppings in funnel	12/03/26	30/03/26	2026
Canyonleigh Gauge MP1	0.7		11/04/26	30/04/26	2026
Canyonleigh Gauge MP1	0.8		9/05/26	3/06/26	2026
Canyonleigh Gauge MP1	0.3		9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP1	0.4	clean	11/07/26	21/07/26	2026
Canyonleigh Gauge MP1	0.5		13/08/26	21/08/26	2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP1					2026
Canyonleigh Gauge MP1					2026
Number of Samples	11				2026
Lowest Sample	0.3				2026
Mean of Sample	1.2				2026
Mean of Sample	3.1				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 2 located south west of quarry. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:		12	
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2	7.9		23/11/21	9/12/21	2022
Canyonleigh Gauge MP2	2.6		22/12/21	19/01/22	2022
Canyonleigh Gauge MP2	3.6		28/01/22	18/02/22	2022
Canyonleigh Gauge MP2	1.5		26/02/22	10/03/22	2022
Canyonleigh Gauge MP2	0.8		28/03/22	5/04/22	2022
Canyonleigh Gauge MP2	1.0		20/04/22	4/05/22	2022
Canyonleigh Gauge MP2	0.7		20/05/22	2/06/22	2022
Canyonleigh Gauge MP2					2022
Number of Samples	7				2022
Lowest Sample	0.7				2022
Mean of Sample	2.6				2022
Highest Sample	7.9				2022
Canyonleigh Gauge MP2	0.7		20/06/22	29/06/22	2023
Canyonleigh Gauge MP2	0.7		18/07/22	26/07/22	2023
Canyonleigh Gauge MP2	0.5		15/08/22	30/08/22	2023
Canyonleigh Gauge MP2	1.3		12/09/22	27/09/22	2023
Canyonleigh Gauge MP2	0.6		10/10/22	17/10/22	2023
Canyonleigh Gauge MP2	0.5		7/11/22	16/11/22	2023
Canyonleigh Gauge MP2	1.2		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2	0.6		5/01/23	20/01/23	2023
Canyonleigh Gauge MP2	2		2/02/23	20/02/23	2023
Canyonleigh Gauge MP2	0.3		4/03/23	5/04/23	2023
Canyonleigh Gauge MP2	0.4		5/04/23	4/05/23	2023
Canyonleigh Gauge MP2	0.8		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.3				2023
Mean of Sample	0.8				2023
Highest Sample	2				2023
Canyonleigh Gauge MP2	0.3		5/06/23	28/06/23	2024
Canyonleigh Gauge MP2	0.6		4/07/23	24/07/23	2024
Canyonleigh Gauge MP2	0.6		11/08/23	23/08/23	2024
Canyonleigh Gauge MP2	1.1		14/09/23	5/10/23	2024
Canyonleigh Gauge MP2	0.3		16/10/23	13/11/23	2024
Canyonleigh Gauge MP2	1.5		16/11/23	14/12/23	2024
Canyonleigh Gauge MP2	0.9		15/12/23	7/02/24	2024
Canyonleigh Gauge MP2	2.1		15/01/24	7/02/24	2024
Canyonleigh Gauge MP2	1.9		14/02/24	28/02/24	2024
Canyonleigh Gauge MP2	6.3		15/03/24	5/04/24	2024
Canyonleigh Gauge MP2	3.7		16/04/24	27/05/24	2024
Canyonleigh Gauge MP2	0.3		20/05/24	18/06/24	2024
Canyonleigh Gauge MP2	0.4		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.3				2024
Mean of Sample	1.54				2024
Highest Sample	6.3				2024
Canyonleigh Gauge MP2	0.3		25/07/24	21/08/24	2025
Canyonleigh Gauge MP2	0.4		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2	0.3		27/09/24	9/10/24	2025
Canyonleigh Gauge MP2	2.5		26/11/24	10/12/24	2025
Canyonleigh Gauge MP2	3.4		27/12/24	7/02/25	2025
Canyonleigh Gauge MP2	1.9		24/01/25	7/02/25	2025
Canyonleigh Gauge MP2	1.9		24/02/25	4/04/25	2025
Canyonleigh Gauge MP2	1.7		25/03/25	2/05/25	2025
Canyonleigh Gauge MP2	0.5		23/04/25	2/05/25	2025
Canyonleigh Gauge MP2	1.4		21/05/25	28/05/25	2025
Canyonleigh Gauge MP2	0.3		18/06/25	23/07/25	2025
Canyonleigh Gauge MP2	0.3		24/07/25	7/08/25	2025
Canyonleigh Gauge MP2	0.3		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0.3				2025
Mean of Sample	1.2				2025
Highest Sample	3.4				2025
Canyonleigh Gauge MP2	0.6		24/09/25	3/10/25	2026
Canyonleigh Gauge MP2	1.7		25/10/25	5/11/25	2026
Canyonleigh Gauge MP2	1.7	Leaves in funnels	27/11/25	16/12/25	2026
Canyonleigh Gauge MP2	2.2	Leaves in funnel	7/01/26	2/02/26	2026
Canyonleigh Gauge MP2	1.9	Water dirty, bugs in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP2	1.2		12/03/26	30/03/26	2026
Canyonleigh Gauge MP2	0.4	Leaves and bark in funnel	11/04/26	30/04/26	2026
Canyonleigh Gauge MP2	1.2		9/05/26	3/06/26	2026
Canyonleigh Gauge MP2	0.4		9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP2	0.5	Clean	11/07/26	21/07/26	2026
Canyonleigh Gauge MP2	0.6		13/08/26	21/08/26	2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP2					2026
Canyonleigh Gauge MP2					2026
Number of Samples	11				2026
Lowest Sample	0.4				2026
Mean of Sample	1.1				2026
Mean of Sample	2.2				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 3 located south east of quarry, near main shed. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:		12	
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3	0.7		23/11/21	9/12/21	2022
Canyonleigh Gauge MP3	0.5		22/12/21	19/01/22	2022
Canyonleigh Gauge MP3	0.3		28/01/22	18/02/22	2022
Canyonleigh Gauge MP3	0.8		26/02/22	10/03/22	2022
Canyonleigh Gauge MP3	0.2		28/03/22	5/04/22	2022
Canyonleigh Gauge MP3	0.7		20/04/22	4/05/22	2022
Canyonleigh Gauge MP3	0.6		20/05/22	2/06/22	2022
Canyonleigh Gauge MP3					2022
Number of Samples	7				2022
Lowest Sample	0.2				2022
Mean of Sample	0.5				2022
Highest Sample	0.8				2022
Canyonleigh Gauge MP3	0.2		20/06/22	29/06/22	2023
Canyonleigh Gauge MP3	0.5		18/07/22	26/07/22	2023
Canyonleigh Gauge MP3	0.4		15/08/22	30/08/22	2023
Canyonleigh Gauge MP3	0.8		12/09/22	27/09/22	2023
Canyonleigh Gauge MP3	0.1		10/10/22	17/10/22	2023
Canyonleigh Gauge MP3	0.5		7/11/22	16/11/22	2023
Canyonleigh Gauge MP3	1.1		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3	1.1		5/01/23	20/01/23	2023
Canyonleigh Gauge MP3	0.9		2/02/23	20/02/23	2023
Canyonleigh Gauge MP3	2.1		4/03/23	5/04/23	2023
Canyonleigh Gauge MP3	2.8		5/04/23	4/05/23	2023
Canyonleigh Gauge MP3	0.7		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.1				2023
Mean of Sample	0.9				2023
Highest Sample	2.8				2023
Canyonleigh Gauge MP3	0.1		5/06/23	28/06/23	2024
Canyonleigh Gauge MP3	0.4		4/07/23	24/07/23	2024
Canyonleigh Gauge MP3	0.3		11/08/23	23/08/23	2024
Canyonleigh Gauge MP3	0.6		14/09/23	5/10/23	2024
Canyonleigh Gauge MP3	1.4		16/10/23	13/11/23	2024
Canyonleigh Gauge MP3	0.3		16/11/23	14/12/23	2024
Canyonleigh Gauge MP3	1.9		15/12/23	7/02/24	2024
Canyonleigh Gauge MP3	0.9		15/01/24	7/02/24	2024
Canyonleigh Gauge MP3	1.4		14/02/24	28/02/24	2024
Canyonleigh Gauge MP3	1.5		15/03/24	5/04/24	2024
Canyonleigh Gauge MP3	2.3		16/04/24	27/05/24	2024
Canyonleigh Gauge MP3	0.3		20/05/24	18/06/24	2024
Canyonleigh Gauge MP3	0.2		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.1				2024
Mean of Sample	0.9				2024
Highest Sample	2.3				2024
Canyonleigh Gauge MP3	0.2		25/07/24	21/08/24	2025
Canyonleigh Gauge MP3	0.2		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3	0.4		27/09/24	9/10/24	2025
Canyonleigh Gauge MP3	1.3		26/11/24	10/12/24	2025
Canyonleigh Gauge MP3	1.8		27/12/24	7/02/25	2025
Canyonleigh Gauge MP3	2.2		24/01/25	7/02/25	2025
Canyonleigh Gauge MP3	2.3		24/02/25	4/04/25	2025
Canyonleigh Gauge MP3	1.9		25/03/25	2/05/25	2025
Canyonleigh Gauge MP3	0.9		23/04/25	2/05/25	2025
Canyonleigh Gauge MP3	0.5		21/05/25	28/05/25	2025
Canyonleigh Gauge MP3	0.4		18/06/25	23/07/25	2025
Canyonleigh Gauge MP3	0.5		24/07/25	7/08/25	2025
Canyonleigh Gauge MP3	0.4		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0.2				2025
Mean of Sample	1.0				2025
Mean of Sample	2.3				2025
Canyonleigh Gauge MP3	0.6		24/09/25	3/10/25	2026
Canyonleigh Gauge MP3	1.5		25/10/25	5/11/25	2026
Canyonleigh Gauge MP3	2.2	Bugs & Spider	27/11/25	16/12/25	2026
Canyonleigh Gauge MP3	1.2	Spider in funnel	7/01/26	2/02/26	2026
Canyonleigh Gauge MP3	1.4	Leaves in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP3	0.4		12/03/26	30/03/26	2026
Canyonleigh Gauge MP3	0.4	Bugs in water	11/04/26	30/04/26	2026
Canyonleigh Gauge MP3	0.5	Leaves in funnel	9/05/26	3/06/26	2026
Canyonleigh Gauge MP3	0.3	Leaf in funnel, leaves/bark in bottle	9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP3	0.3	Leaf in funnel	11/07/26	21/07/26	2026
Canyonleigh Gauge MP3	0.1		13/08/26	21/08/26	2026
Canyonleigh Gauge MP3					2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP3					2026
Number of Samples	11				2026
Lowest Sample	0.1				2026
Mean of Sample	0.8				2026
Mean of Sample	2.2				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>
Type of Discharge Point: Monitoring of dust deposition
Sampling Point Description: Dust deposition monitoring point 4 located at south east corner of quarry. Location shown on map located at DOC21/244935

Monitoring Frequency Required:		No of Samples required Annually:		12	
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4	0.6		23/11/21	9/12/21	2022
Canyonleigh Gauge MP4	3.0		22/12/21	19/01/22	2022
Canyonleigh Gauge MP4	8.8	Rehabilitation work carried out nearby	28/01/22	18/02/22	2022
Canyonleigh Gauge MP4	0.5		26/02/22	10/03/22	2022
Canyonleigh Gauge MP4	0.4		28/03/22	5/04/22	2022
Canyonleigh Gauge MP4	1.0		20/04/22	4/05/22	2022
Canyonleigh Gauge MP4	0.7		20/05/22	2/06/22	2022
Canyonleigh Gauge MP4					2022
Number of Samples	7				2022
Lowest Sample	0.4				2022
Mean of Sample	2.1				2022
Highest Sample	8.8				2022
Canyonleigh Gauge MP4	0.4		20/06/22	29/06/22	2023
Canyonleigh Gauge MP4	0.5		18/07/22	26/07/22	2023
Canyonleigh Gauge MP4	0.5		15/08/22	30/08/22	2023
Canyonleigh Gauge MP4	1.1		12/09/22	27/09/22	2023
Canyonleigh Gauge MP4	0.5		10/10/22	17/10/22	2023
Canyonleigh Gauge MP4	1.0		7/11/22	16/11/22	2023
Canyonleigh Gauge MP4	1.3		8/12/22	11/01/23	2023

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4	2.4		5/01/23	20/01/23	2023
Canyonleigh Gauge MP4	13.3		2/02/23	20/02/23	2023
Canyonleigh Gauge MP4	3.2		4/03/23	5/04/23	2023
Canyonleigh Gauge MP4	1.9		5/04/23	4/05/23	2023
Canyonleigh Gauge MP4	1.1		8/05/23	16/05/23	2023
Number of Samples	12				2023
Lowest Sample	0.4				2023
Mean of Sample	2.3				2023
Highest Sample	13.3				2023
Canyonleigh Gauge MP4	0.2		5/06/23	28/06/23	2024
Canyonleigh Gauge MP4	0.3		4/07/23	24/07/23	2024
Canyonleigh Gauge MP4	0.5		11/08/23	23/08/23	2024
Canyonleigh Gauge MP4	0.6		14/09/23	5/10/23	2024
Canyonleigh Gauge MP4	1		16/10/23	13/11/23	2024
Canyonleigh Gauge MP4	0.6		16/11/23	14/12/23	2024
Canyonleigh Gauge MP4	1.3		15/12/23	7/02/24	2024
Canyonleigh Gauge MP4	2.4		15/01/24	7/02/24	2024
Canyonleigh Gauge MP4	1.3		14/02/24	28/02/24	2024
Canyonleigh Gauge MP4	0.5		15/03/24	5/04/24	2024
Canyonleigh Gauge MP4	1.8		16/04/24	27/05/24	2024
Canyonleigh Gauge MP4	0.7		20/05/24	18/06/24	2024
Canyonleigh Gauge MP4	0.3		21/06/24	23/07/24	2024
Number of Samples	13				2024
Lowest Sample	0.2				2024
Mean of Sample	0.88				2024
Highest Sample	2.4				2024
Canyonleigh Gauge MP4	0.4		25/07/24	21/08/24	2025
Canyonleigh Gauge MP4	0.2		26/08/24	5/09/24	2025

Monitoring Frequency Required: Monthly		No of Samples required Annually: 12			
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4	0.5		27/09/24	9/10/24	2025
Canyonleigh Gauge MP4	1.4		26/11/24	10/12/24	2025
Canyonleigh Gauge MP4	3.1		27/12/24	7/02/25	2025
Canyonleigh Gauge MP4	1.7		24/01/25	7/02/25	2025
Canyonleigh Gauge MP4	5.3		24/02/25	4/04/25	2025
Canyonleigh Gauge MP4	0.9		25/03/25	2/05/25	2025
Canyonleigh Gauge MP4	1.1		23/04/25	2/05/25	2025
Canyonleigh Gauge MP4	0.8		21/05/25	28/05/25	2025
Canyonleigh Gauge MP4	0.3		18/06/25	23/07/25	2025
Canyonleigh Gauge MP4	0.4		24/07/25	7/08/25	2025
Canyonleigh Gauge MP4	0.2		26/08/25	9/09/25	2025
Number of Samples	13				2025
Lowest Sample	0.2				2025
Mean of Sample	1.3				2025
Mean of Sample	5.3				2025
Canyonleigh Gauge MP4	0.4		24/09/25	3/10/25	2026
Canyonleigh Gauge MP4	0.8		25/10/25	5/11/25	2026
Canyonleigh Gauge MP4	1.1		27/11/25	16/12/25	2026
Canyonleigh Gauge MP4	2.5		7/01/26	2/02/26	2026
Canyonleigh Gauge MP4	0.8	Bird poo in funnel	12/02/26	18/02/26	2026
Canyonleigh Gauge MP4	<0.1	Leaf in funnel/Bugs in bottle	12/03/26	30/03/26	2026
Canyonleigh Gauge MP4	0.9		11/04/26	30/04/26	2026
Canyonleigh Gauge MP4	1.6		9/05/26	3/06/26	2026
Canyonleigh Gauge MP4	0.3		9/06/2026	19/06/2026	2026
Canyonleigh Gauge MP4	0.3	Clean	11/07/26	21/07/26	2026
Canyonleigh Gauge MP4	0.3		13/08/26	21/08/26	2026
Canyonleigh Gauge MP4					2026

Monitoring Frequency Required:		Monthly	No of Samples required Annually:		12
Limit	4 Annual Average				02 June to 01 June
Description	Insoluble Solids (g/m2/month)	Comments	Date Sampled	Date Obtained	Annual Return Year
Canyonleigh Gauge MP4					2026
Number of Samples	11				2026
Lowest Sample	0				2026
Mean of Sample	0.8				2026
Mean of Sample	2.5				2026

EPA Licence Number: L21501
Licensee Name: PGH Bricks and Pavers Pty Limited
Licensee Address: Canyonleigh Quarry
Link to Licence: <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=216424&SYSUID=1&LICID=21501>

